

PRODUCT URL:

<https://www.aerialworkplatforms.net/equipment/mr-24-ac-mro-telescoping-man-lift/>



MR-24-AC MRO Telescoping Man Lift

MR-24-AC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/equipment/mr-24-ac-mro-tel-escoping-man-lift/>

maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-24-AC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to prevent overload
- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15', 19', 24' or 28'
- Roomy 28' x 36' platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/equipment/mr-24-ac-mro-telescoping-man-lift/>

- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for uneven surfaces
- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-24-AC MRO Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/equipment/mr-24-ac-mro-telescoping-man-lift/>

MR-20-AC	19' 3"	6' 4"	25'	1000
MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Categories: [Material Lifts](#), [Personnel Lifts](#)

Tags: [Manlift](#), [MR-24-AC](#), [MRO Telescoping Man Lift](#)

Additional Information:

- Dimensions: N/A
- Weight: N/A

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8