

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



1250AJP Articulating Boom Lift

1250AJP Articulating Boom Lift

1250AJP Articulating Boom Lift Features:

- Ground to 120 ft in 95 seconds

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Strong 100,000-psi steel and a dual 1,000 lb / 500 lb capacity give you stability and capacity

Quick Specs:

- Platform Height Elevated – 125 ft
- Overall Width – 8 ft 2 in
- Platform Capacity – 1,000 lb / 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



2684ES Electric Rough Terrain Articulating Lift

2684ES Electric Rough Terrain Articulating Lift

2684ES Electric Rough Terrain Articulating Lift Specifications:

- All ELECTRIC rough terrain

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Up to 36 ft. (11m) working height
- Fast platform leveling on slopes, automatic or manual selection, with an amazing 14° side to side and 10° fore and aft oscillation
- Up to 1,700 lbs (770 kg) platform capacity
- Quad-Trax 4wd power package giving 40% gradeability
- Proportional drive and lift controls
- Non-skid metal deck construction
- Large sheet loading entrances (fore and aft)
- No-maintenance bearings
- Incredible ground clearance

2684ES Electric Rough Terrain Articulating Lift Features:

Work Area

- Automatic and Manual Platform Leveling
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform

Performance

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Proportional Drive and Lift Controls
- High Torque Power Package

Power

- Eight 6V 370 Ah Industrial Deep-Cycle Batteries

Serviceability

- Lubrication-free Bearings
- Easy maintenance access to mechanical and electrical components
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Metal Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Multiple Disc Brakes, Manual Brake Release
- Dual Automatic Parking Brake
- Emergency shutoff at platform and lower controls

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

2684RT Electric Rough Terrain Articulating Lift

2684RT Electric Rough Terrain Articulating Lift

2684RT Electric Rough Terrain Articulating Lift Specifications:

- Up to 36 ft. (11m) working height
- Fast platform leveling on slopes, automatic or manual selection, with an amazing 14° side to side and 10° fore and aft oscillation
- Up to 1,700 lbs (770 kg) platform capacity
- Quad-Trax 4wd power package giving 45% gradeability
- Proportional drive and lift controls

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Non-skid metal deck construction
- Large sheet loading entrances (fore and aft)
- No-maintenance bearings
- Multiple power selections (gasoline/liquid propane or diesel)
- Incredible ground clearance

2684RT Electric Rough Terrain Articulating Lift Features:

Work Area

- Automatic and Manual Platform Leveling
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform

Performance

- Proportional Drive and Lift Controls
- High Torque Power Package

Engine

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Kubota Engine (Gasoline/Liquid Propane)

Serviceability

- Lubrication-Free Bearings
- Easy maintenance access to mechanical and electrical components
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Metal Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, Manual Brake Release
- Dual Automatic Parking Brake
- Emergency shut off at platform and lower controls

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

2684RT Electric Rough Terrain Articulating Lift Dimensions:

Length	12 ft. 6 in. (3.8 m)
Height	Working: 32 ft. (9.75 m)
	Maximum Drive: 26 ft. (7.93 m)
	Stowed (Top Guardrail): 105 in. (2.67 m)
	Stowed (Rails Folded): 70 in. (1.78 m)
	Guardrail: 43.5 in. (1.1 m)
	Toeboard: 6 in. (15 cm)
Width	84 in. (2.13 m)
Weight	7,200 lbs. (3,265 kg)
Ground Clearance	10 in. (25 cm)
Wheelbase	100 in. (2.54 m)
Turning Radius	Inside: 8 ft. (2.44 m)
	Outside: 16 ft. 8 in. (5.08 m)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

ENGINE & DRIVETRAIN	
Engine Make	Kubota
Engine Model	DF752
Fuel Type	Dual fuel
Fuel Tank Capacity	15 gal. (57 l)
Drive System	Proportional
HYDRAULICS	
Hydraulic Tank Capacity	23 gal. (87 l)
PERFORMANCE	
Tires	26 x 12D / 380NHS
Travel Speed	Stowed: 4 mph (6.4 km/h)
	Raised: 0.75 mph (1.2 km/h)
Gradeability	45%
Capacity	Lift: 1,700 lbs. (770 kg)
	Extension Deck: 500 lbs. (227 kg)
Platform Height	26 ft. (7.93 m)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Platform Size	Length: 12 ft. (3.65 m)
	Extended Length: 15 ft. (4.57 m)
	Width: 72 in. (1.83 m)
Raise/Lower Time	20/31 sec.

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

3084ES Electric Rough Terrain Articulating Lift

3084ES Electric Rough Terrain Articulating Lift

3084ES Electric Rough Terrain Articulating Lift Specifications:

- All ELECTRIC rough terrain
- Up to 36 ft. (11m) working height
- Fast platform leveling on slopes, automatic or manual selection, with an amazing 14° side to side and 10° fore and aft oscillation
- Up to 1,700 lbs (770 kg) platform capacity
- Quad-Trax 4wd power package giving 40% gradeability
- Proportional drive and lift controls

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Non-skid metal deck construction
- Large sheet loading entrances (fore and aft)
- No-maintenance bearings
- Incredible ground clearance

3084ES Electric Rough Terrain Articulating Lift Features:

Work Area

- Automatic and Manual Platform Leveling
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform

Performance

- Proportional Drive and Lift Controls
- High Torque Power Package

Power

- Eight 6V 370 Ah Industrial Deep-Cycle Batteries

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Serviceability

- Lubrication-free Bearings
- Easy maintenance access to mechanical and electrical components
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Metal Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, Manual Brake Release
- Dual Automatic Parking Brake
- Emergency shut off at platform and lower controls

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



3084RT Electric Rough Terrain Articulating Lift

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

3084RT Electric Rough Terrain Articulating Lift

3084RT Electric Rough Terrain Articulating Lift Specifications:

- Up to 36 ft. (11m) working height
- Fast platform leveling on slopes, automatic or manual selection, with an amazing 14° side to side and 10° fore and aft oscillation
- Up to 1,700 lbs (770 kg) platform capacity
- Quad-Trax 4wd power package giving 45% gradeability
- Proportional drive and lift controls
- Non-skid metal deck construction
- Large sheet loading entrances (fore and aft)
- No-maintenance bearings
- Multiple power selections (gasoline/liquid propane or diesel)
- Incredible ground clearance

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

3084RT Electric Rough Terrain Articulating Lift Features:

Work Area

- Automatic and Manual Platform Leveling
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform

Performance

- Proportional Drive and Lift Controls
- High Torque Power Package

Engine

- Kubota Engine (Gasoline/Liquid Propane)

Serviceability

- Lubrication-Free Bearings
- Easy maintenance access to mechanical and electrical components

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Metal Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, Manual Brake Release
- Dual Automatic Parking Brake
- Emergency shutoff at platform and lower controls

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



340AJ Articulating Boom Lift

340AJ Articulating Boom Lift

340AJ Articulating Boom Lift Features:

- Lower cost of ownership
- Steel hoods provide added durability
- Environmentally-friendly Tier 4 diesel engine
- Industry-leading terrainability

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Ideal for general contractors, steel erectors, painters, stadium construction and more

Quick Specs:

- Platform Height Elevated – 34 ft
- Platform Capacity – 500 lb
- Up and Over Reach – 17 ft
- Overall Width – 6 ft 10 in

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



450A Series II Articulating Boom Lift

450A Series II Articulating Boom Lift- This Product has

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

been Discontinued

450A Series II Articulating Boom Lift Features:

- Reach those tight spaces that you can't reach with other lifts
- Best-in-class lift speed increases productivity and efficiency
- Easy-to-use controls reduces training time and increases time on the job

Quick Specs:

- Platform Height Elevated – 45 ft
- Overall Width – 7 ft 8.25 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Provider.



600A Articulating Boom Lift

600A Articulating Boom Lift

600A Articulating Boom Lift Features:

- Best reach envelope in its class

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Optional articulating jib gets you into hard-to-reach places
- Unmatched maneuverability for confined work areas

Quick Specs:

- Platform Height Elevated – 60 ft
- Overall Width – 8 ft
- Platform Capacity – 1,000 lb / 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



600AJ Articulating Boom Lift

600AJ Articulating Boom Lift

600AJ Articulating Boom Lift Features:

- Best reach envelope in its class
- Optional articulating jib gets you into hard-to-reach places
- Unmatched maneuverability for confined work areas

Quick Specs:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Platform Height Elevated – 60 ft
- Overall Width – 8 ft
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



600AJN Articulating Narrow Boom Lift

600AJN Articulating Narrow Boom Lift

600AJN Articulating Narrow Boom Lift Features:

- Best reach envelope in its class

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Optional articulating jib gets you into hard-to-reach places
- Narrow chassis for confined work areas

Quick Specs:

- Platform Height Elevated – 60 ft
- Overall Width – 7 ft
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



600AN Articulating Narrow Boom Lift

600AN Articulating Narrow Boom Lift

600AN Articulating Narrow Boom Lift Features:

- Best reach envelope in its class

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Optional articulating jib gets you into hard-to-reach places
- Narrow chassis for confined work areas

Quick Specs:

- Platform Height Elevated – 60 ft
- Overall Width – 7 ft
- Platform Capacity – 1,000 lb / 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



740AJ Articulating Boom Lift

740AJ Articulating Boom Lift

740AJ Articulating Boom Lift Features:

- Made specifically for working on today's aircraft
- With the Fall Arrest system, you can move 270 degrees around and 6 ft beyond the platform
- Articulating jib allows you to reach all external surfaces of any aircraft made today

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Quick Specs:

- Platform Height Elevated – 74 ft
- Overall Width – 8 ft
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

800A Articulating Boom Lift

800A Articulating Boom Lift

800A Articulating Boom Lift Features:

- Get the extra reach and versatility you need with the best reach envelope in the industry
- With Workstation in the Sky[®] accessories, you will have all you need to get the job done
- *Advanced Design Electronics System* reduces your costs by increasing your fuel efficiency and reducing emissions

Quick Specs:

- Platform Height Elevated – 80 ft
- Overall Width – 8 ft
- Platform Capacity – 1,000 lb / 500 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



800AJ Articulating Boom Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

800AJ Articulating Boom Lift

800AJ Articulating Boom Lift Features:

- Get the extra reach and versatility you need with the best reach envelope in the industry
- With Workstation in the Sky[®] accessories, you will have all you need to get the job done
- *Advanced Design Electronics System* reduces your costs by increasing your fuel efficiency and reducing emissions

Quick Specs:

- Platform Height Elevated – 80 ft
- Overall Width – 8 ft
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Provider.



Articulated Tracked Aerial Platform SPJ315

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Articulated Tracked Aerial Platform SPJ315

Articulated Tracked Aerial Platform SPJ315 Description:

Articulated Tracked Aerial Platform SPJ315 is a tracked aerial platform able of a maximum working height of **49 feet** and a maximum working outreach of **23 feet**. Its Safe Working Load is **500 lbs.** (2 operators + tools) without restrictions throughout the working area, resulting in high performance if compared with the reduced overall dimensions, only **31 inches** width during translation (with basket removed).

This Articulated Tracked Aerial Platform SPJ315 is equipped with a standard **wired remote control** for translation and stabilization which ensures maximum safety for the operator

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

(optionally SPJ315 can be equipped with **wireless remote control**); the standard engine is a 13 hp gasoline Honda, optionally a diesel Lombardini engine can be mounted.

The **350°** rotation of the aerial part, together with the vertical rotation of the hydraulic jib, **from 90° to +35°**, increase the overall working area. SPJ315 can be equipped with **extendable tracks** and **230 V electric motor**, which are essential for operations in confined spaces such as industrial buildings or churches.

Articulated Tracked Aerial Platform SPJ315 Specifications:

- Extremely compact.
- Safe Working Load is 225 kg unrestricted.
- Remote Control for translation and stabilization.
- Stabilizing pads.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Max working height	50 feet
Basket floor height	43 feet
Max working outreach	23 feet
Aerial part rotation	350°
Basket rotation	0°
Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 1100 mm
Controls	hydraulic
Stabilization	Z + Z
Weight	3748 lbs.

Standard Equipment:

- Multifunction remote control for translation and stabilization.
- Aluminium removable basket.
- Electric hour-meter.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- High efficiency filtering system in both flow directions.
- Gasoline engine Honda 13 hp.
- Manual emergency pump.
- 110/230 V power outlet in the basket.
- Flanged Holding Valves.

Available Options:

- Narrow crawler hydraulically extensible.
- White antimark tracks.
- Safety belts.
- Auxiliary electro-pump 230V/50Hz monophase with battery charger.
- White adjustable lamp in the basket.
- Diesel engine Lombardini 11 HP.
- N. 4 spreader plates.
- Air/water plug (max 100 bar).
- Radio remote control.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Articulating Off-Road Aerial Platform A314

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Articulating Off-Road Aerial Platform A314

Articulating Off-Road Aerial Platform A314 Description:

Articulating Off-Road Aerial Platform A314 mounted on pick-up Isuzu D-Max is an articulated aerial platform developed for off-road interventions where a standard platform would not be able to access or deploy the outriggers. Able of a maximum working height of **43 feet** and it has got a safe working load (SWL) of **500 lbs.** (2 operators + tools).

Articulating Off-Road Aerial Platform A314 on ISUZU is able to 90°+90° basket rotation to improve the outreach to **24 feet** and

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

the addition of 2 more outriggers for a better stability on rough terrain. Finally new ground controls with four individual levers allow the operator to deploy the outriggers and stabilize the platform even in the most difficult environment.

The A314 on Isuzu is able to face downhill, on both sides, up to **10° inclination**, a feature difficult to find on another articulated aerial platform.

Articulating Off-Road Aerial Platform A314 Specifications:

Max working height	45 feet
Basket floor height	39 feet
Max working outreach	25 feet
Aerial part rotation	270°
Basket rotation	90°+90°

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 45 inches
Controls	hydraulic
Stabilization	A
Minimum G.V.W.	2.9 ton

KEY FEATURES:

- Extremely compact, just 16 feet long and 6 feet wide
- Safe working load 500 lbs
- Automatic stabilization/destabilization system
- Mounted on 4x4 vehicle

STANDARD EQUIPMENT:

- Aluminium basket
- Anti-collision device between boom and cab
- Electric hour-meter
- Flanged Holding Valves
- High efficiency filtering system in both flow directions

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Manual emergency pump
- 110/230 V power outlet in the basket
- Stabilization controls in the basket

AVAILABLE OPTIONS:

- Air/water plug (max 100 bar)
- Auxiliary electro-pump 230V/50Hz monophasic with battery charger
- 1000 V Basket insulation
- Polyethylene basket
- Safety belts
- N. 4 spreader plates
- White adjustable lamp in the basket

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



Articulating Off-Road Aerial Platform A314 Land Rover

Articulating Off-Road Aerial Platform A314 Land Rover

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Articulating Off-Road Aerial Platform A314 Land Rover Description:

Articulating Off-Road Aerial Platform A314 Land Rover Defender is an articulated aerial platform developed for off-road interventions where a standard platform would not be able to access or deploy the outriggers.

Able of a maximum working height of **45 feet** and a maximum outreach of **22 feet**, the A314 has got a safe working load (SWL) of **500 lbs.** (2 operators + tools) unrestricted.

The rotation of the aerial part is continuous thanks to a system composed by a slewing ring and a worm gear; the continuous rotation increases sensibly the equipment productivity avoiding any downtime due to the aerial part repositioning.

KEY FEATURES:

- Aerial part continuous rotation.
- Extremely compact, just 16 feet long and 6 feet wide.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Fully hydraulic controls.
- Mounted on 4x4 vehicle.
- Safe working load 500 lbs.

STANDARD EQUIPMENT:

- Aluminium basket.
- Anti-collision device between boom and cab.
- Electric hour-meter.
- Flanged Holding Valves.
- High efficiency filtering system in both flow directions.
- Manual emergency pump.
- 110/230 V power outlet in the basket.

AVAILABLE OPTIONS:

- Air/water plug (max 100 bar).
- Auxiliary electro-pump 230V/50Hz monophase with battery charger.
- 1000 V Basket insulation.
- Polyethylene basket.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Safety belts.
- N. 4 spreader plates.
- White adjustable lamp in the basket.

Articulating Off-Road Aerial Platform A314 Land Rover Specifications:

Max working height	45 feet
Basket floor height	38 feet
Max working outreach	21 feet
Aerial part rotation	continuous
Basket rotation	0°
Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 1100 mm
Controls	hydraulic
Stabilization	A+A

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Minimum G.V.W.	3.5 ton
----------------	---------

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Bil-Jax 3522A Trailer Boom Lift

Bil-Jax 3522A Trailer Boom Lift

Bil-Jax 3522A Trailer Boom Lift Features:

The Bil-Jax 3522A boom lift is part of the range of electrical trailer boom lift for people and material lifting.

Superior features and best-in-class performance from a lightweight articulating machine.

- Automatic leveling in less than 30 seconds
- Best-in-class 12½ degree leveling capability
- Telescopic upper boom and platform jib

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

- Negative angle upper boom
- Intuitive control system
- Multiple function speeds
- 10 in (25 cm) diameter non-marking footpads
- Hydraulic surge and parking brakes
- Integrated forklift pockets

- Working Height: 41ft9in
- Platform Height: 35ft 9in
- Horizontal Outreach: 22ft 6in
- Turnable Rotation: 700 Degrees Continuous
- Weight: 3400lbs
- Width: 5ft 6 in
- Length: 16ft3in

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



Bil-Jax 4527A Trailer Boom Lift

Bil-Jax 4527A Trailer Boom Lift

Bil-Jax 4527A Trailer Boom Lift Features:

The Bil-Jax 4527A boom lift is part of the range of electrical

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

trailer boom lift for people and material lifting.

Best value in the industry!

Performance that rivals more expensive 50 ft. models.

- Automatic leveling in less than 30 seconds
- Best-in-class 12½ degree leveling capability
- Telescopic upper boom and platform jib
- Negative angle upper boom
- Intuitive control system
- Multiple function speeds
- 12½ in (32 cm) diameter non-marking foot pads
- Hydraulic surge and parking brakes
- Integrated forklift pockets

- Working Height: 51ft
- Platform Height: 45ft
- Horizontal Outreach: 27ft
- Turnable Rotation: 700 Degrees Continuous
- Weight: 4200lbs
- Width: 5ft 6 in
- Length: 19ft 6in

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Bi-Jax 45XA Self-Propelled

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Boom Lift

Bil-Jax 45XA Self-Propelled Boom Lift

Bil-Jax 45XA Self-Propelled Boom Lift Features:

The Bil-Jax 45XA boom lift is part of the range of electrical articulated boom lift for people and material lifting.

Self-Propelled

High performance 4WD system provides 3.5 mph (6 km/h) drive speed and 48% gradeability. Dual power and a narrow machine

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

width makes the 45XA ideal for indoor and outdoor applications.

Lightweight

Low point and floor loading is ideal for applications on lawns, landscaping and sensitive flooring applications. Hydraulic outriggers and automatic leveling capabilities allow users to set up and begin using lift functions in under 30 seconds.

Transportable

Weighing in at only 4,715 lb (2,139 kg) operators can transport the 45XA on a utility trailer attached to a medium-duty SUV or truck. No commercial driver's license required.

Bil-Jax 45XA Self-Propelled Boom Lift Specifications:

	Technical data
Working height	51 ft

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Platform height	45 ft
Horizontal outreach	27 ft
Turntable rotation (°)	700° non-continuous
Lift capacity (lbs)	500 lb
Height – stowed	6 ft 7 in
Length	18 ft 2 in
Overall width	5 ft 6 in
Gradeability (%)	45
Weight (lbs)	4,900 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>



Bil-Jax 55XA Self-Propelled Boom Lift

Bil-Jax 55XA Self-Propelled Boom Lift

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Bil-Jax 55XA Self-Propelled Boom Lift Features:

The Bil-Jax 55XA boom lift is part of the range of electrical articulated booms lift for people and material lifting.

Self-Propelled

High performance 4WD system provides 4,5 mph drive speed and 45% gradeability. Dual power and a narrow machine width makes the 55XA ideal for indoor and outdoor applications.

Lightweight

Low point and floor loading is ideal for applications on lawns, landscaping and sensitive flooring applications. Hydraulic outriggers and automatic leveling capabilities allow users to set up and begin using lift functions in under 30 seconds.

Transportable

Weighing in at only 6000 lb (2,721 kg) operators can transport the 55XA on a utility trailer attached to a medium-duty SUV or

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

truck. No commercial driver's license required.

Bil-Jax 55XA Self-Propelled Boom Lift Specifications:

Technical data	
Working height	61 ft 3 in
Platform height	55 ft 3 in
Horizontal outreach	33 ft 5 in
Turntable rotation (°)	700°non-continuous
Lift capacity (lbs)	500 lb
Height – stowed	6 ft 9 in
Length	21 ft 2 in
Width	5 ft 8 in
Weight (lbs)	6,000 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



E300AJ Electric Articulating Boom Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

E300AJ Electric Articulating Boom Lift

E300AJ Electric Articulating Boom Lift Features:

- Versatility – three options and three different chassis widths to fit any workspace
- Accessibility – up and over access, optional jib
- Maneuverability – move over uneven surfaces with the Automatic Traction Control option
- Productivity – longer with longer duty cycles
- Environmentally friendly – zero emission

Quick Specs:

- Platform Height Elevated – 30 ft
- Overall Width – 4 ft
- Platform Capacity – 500 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



E300AJP Electric Articulating Boom Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

E300AJP Electric Articulating Boom Lift

E300AJP Electric Articulating Boom Lift Features:

- Versatility – three options and three different chassis widths to fit any workspace
- Accessibility – up and over access, optional jib
- Maneuverability – move over uneven surfaces with the Automatic Traction Control option
- Productivity – longer with longer duty cycles
- Environmentally friendly – zero emissions

Quick Specs:

- Platform Height Elevated – 30 ft
- Overall Width – 4 ft
- Platform Capacity – 500 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



E400A Electric Articulating Boom Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

E400A Electric Articulating Boom Lift

E400A Electric Articulating Boom Lift Features:

- Versatility – Three platform heights and jib and non-jib options; three chassis widths to fit any workspace; electric or multi-fuel
- Accessibility – up and over access, optional jib
- Maneuverability – move over uneven surfaces with the Automatic Traction Control option
- Productivity – work longer with longer duty cycles
- Environmentally friendly – zero emissions

Quick Specs:

- Platform Height Elevated – 40 ft
- Overall Width – 5 ft 9 in
- Platform Capacity – 500 lb

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/articulated-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8