

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



15MVL Vertical Mast Lift

15MVL Vertical Mast Lift

15MVL Vertical Mast Lift Features:

- Five platform options with exclusive “Quick Change” mountings for one-minute change-outs
- Exclusive Point & Go® single joystick control operates drive and steer, and lift and lower
- Rigged mast for operator comfort and stability

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Quick Specs:

- Platform Height Elevated – 15 ft 4 in
- Overall Width – 29.5 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

19AM Vertical Mast Lift

19AM Vertical Mast Lift - This Product has been Discontinued

19AM Vertical Mast Lift Features:

- Most rigid mast in the industry for operator comfort and stability
- Six-wheel design for improved maneuverability
- Long battery duty cycles and an automatic charger for more productivity
- No outriggers

Quick Specs:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Platform Height Elevated – 19 ft
- Overall Width – 34 in
- Platform Capacity – 350 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

20AM Vertical Mast Lift

20AM Vertical Mast Lift

20AM Vertical Mast Lift Features:

- Most rigid mast in the industry for operator comfort and stability
- Six-wheel design for improved maneuverability
- Long battery duty cycles and an automatic charger for more productivity

Quick Specs:

- Platform Height Elevated – 20 ft 5 in
- Overall Width – 29 in
- Platform Capacity – 350 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



20MVL Vertical Mast Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

20MVL Vertical Mast Lift

20MVL Vertical Mast Lift Features:

- Five platform options with exclusive “Quick Change” mountings for one-minute change-outs
- Exclusive Point & Go® single joystick control operates drive and steer, and lift and lower
- Rigged mast for operator comfort and stability

Quick Specs:

- Platform Height Elevated – 19 ft 6 in
- Overall Width – 29.5 in
- Platform Capacity – 350 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



25AM Vertical Mast Lift

25AM Vertical Mast Lift

25AM Vertical Mast Lift Features:

- Most rigid mast in the industry for operator comfort and stability
- Six-wheel design for improved maneuverability
- Long battery duty cycles and an automatic charger for

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

more productivity

Quick Specs:

- Platform Height Elevated – 25 ft 2 in
- Overall Width – 29 in
- Platform Capacity – 350 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



36AM Vertical Mast Lift

36AM Vertical Mast Lift

36AM Vertical Mast Lift Features:

- Most rigid mast in the industry for operator comfort and stability
- Six-wheel design for improved maneuverability
- Long battery duty cycles and an automatic charger for more productivity

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Quick Specs:

- Platform Height Elevated – 36 ft 3 in
- Overall Width – 29 in
- Platform Capacity – 300 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

41AM Vertical Mast Lift

41AM Vertical Mast Lift

41AM Vertical Mast Lift Features:

- Most rigid mast in the industry for operator comfort and stability
- Six-wheel design for improved maneuverability
- Long battery duty cycles and an automatic charger for more productivity

Quick Specs:

- Platform Height Elevated – 40 ft 9 in
- Overall Width – 29 in
- Platform Capacity – 300 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



AMV36 Vertical Mast Aerial Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

AMV36 Vertical Mast Aerial Lift

AMV36 vertical mast aerial lift units were designed to operate in narrow aisles and congested plant environments. These self propelled lift platforms offer a combination of high lift, reach, and maneuverability that make them a safe solution for tough industrial overhead maintenance applications. Mast lifts are available with electric power or pneumatic (air) power.

DRIVE, LIFT, ROTATE, AND REACH AT UP TO 30 FEET (9.1 Meters) WORKING HEIGHT

Model AMV36-20

- 36 Inches (0.91m) Wide
- Working Height to 26 Feet (7.92m)

Model AMV36-24

- 36 Inches (0.91m) Wide

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

□ Working Height to 30 Feet (9.14m)

Performance (Average):

Travel Speed (Variable & Controllable)

□ High Speed □□ 2.27 mph (3.65km/hr)

□ High Torque □□ 1.14 mph (1.83km/hr)

□ Elevated □□ 0.68 mph (1.13km/hr)

□ Gradeability □□ 25%

□ Turning Radius Inside □□ 51□□ (1.30m)

Outside □□ 102□□ (2.59m)

□ Platform Lift Speed □□ 0.42 ft/sec (0.13 m/sec)

□ Platform Lower Speed □□ 0.63 ft/sec (0.19 m/sec)

□ Platform Rotation □□ 1 RPM

□ Platform Capacity 500 lbs (226.8kg)

□ Brakes Spring Applied, Pressure Released

Options

□ 18□□ (0.46m) Roll Out Platform Extension
(Extenda-Deck)

□ Motion Alarm

□ Flashing or Rotating Light

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Battery Information

□ Four 6-volt Deep Cycle HD245 AHC Batteries with Fully Automatic On-Board Charger (110VAC Power Input)

or

□ 24-Volt Industrial Battery/Industrial Charger

□ Compartment Size 32□□L (0.81m) X 14□□W (0.36m) X 31□□H (0.79m)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



FS60 Portable Aerial Work Platform

FS60 Portable Aerial Work Platform

FS60 Portable Aerial Work Platform Features:

- NEW 30" wide base rolls through standard width interior

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

doors, allowing the unit to be moved from location to location fully assembled

- Non-marking caster wheels added to rear of machine to optimize mobility in tight spaces
- Lifting lever extends a third wheel for easy maneuvering of the LiftPod. Standing on the base retracts the wheel
- Mast height reduced by 2 ft to provide clearance in lower ceiling height environments, i.e., 8 ft drop ceilings are very common in office buildings, schools and healthcare facilities
- 360-degree range of motion
- Optional Power Pack Kit includes a 2-hour fast charger, 2 X 28V batteries and carrying case

Quick Specs:

- Work hands-free up to 12 ft
- 5 ft 8 in platform height
- 330 lb platform capacity
- 7 ft 9 in stowed height
- Total machine weight – 130 lb

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



FS80 Portable Aerial Work Platform

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

FS80 Portable Aerial Work Platform

FS80 Portable Aerial Work Platform Features:

- Accessory tray holds materials up to 33 lb
- Can be assembled in less than 30 seconds
- Lifting lever extends a third wheel for easy maneuvering of the LiftPod. Standing on the base retracts the wheel
- Raise and lower the work platform with an 18V cordless drill or optional Power Pack (sold separately)
- Be more productive while meeting OSHA safety standards
- Optional Power Pack Kit includes a 2-hour fast charger, 2 X 28V batteries and carrying case

Quick Specs:

- Work hands-free up to 14 ft
- 7 ft 7 in platform height
- 330 lb platform capacity

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- 9 ft 9 in stowed height
- Total machine weight – 139 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



JLG 1230ES Mast Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

JLG 1230ES Mast Lift

JLG 1230ES Mast Lift Features:

- Industry leading duty cycles
- Joystick with fully proportional lift and drive
- All-steel platform deck and rails
- Saloon-style entry gate
- Standard 110 V AC wiring to platform
- Corner tool tray
- Automatic traction control
- Steel swing-out battery doors with heavy duty hinges
- Mechanical Pothole Protection System
- Battery condition indicator
- Horn
- Powder paint coating
- Lanyard attachment points
- Integrated lifting and tie-down points
- Machine can be lifted by forks from either side

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



LITERISER 10 SP Vertical Mast

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Lift

LITERISER 10 SP Vertical Mast Lift- This Product has been Discontinued

The LiteRiser 10 SP Mast Lift is part of the range of aerial work platforms / electrical mast lifts for people and material lifting.

- Ideally suited for maintenance work
- Electric drive possible at full height
- Zero-degree inside turning radius

Working height	16ft
Platform height	10ft

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Lift capacity (lb)	500
Length	5ft 9 in
Width	2ft 8in
Stowed Height	6ft 4in
Platform size	2ft 3in x 4ft 9in
Turning radius (outside wheels)	6ft 3in
Power source	2x Maintenance Free 100 amp-hr
Gradeability (%)	25%
Weight (lb)	1,250

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



Maintenance Order Picking Man Lift OP-10

Maintenance Order Picking Man Lift OP-10

Maintenance Order Picking Man Lift OP-10 Features:

- One Person lift with 300 lbs. capacity

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Totally enclosed 26" x 28" platform with 42" guardrails, midrails and gate
- Welded compact base 32" x 63" allows lift to pass through doorways
- No outriggers required
- Rolls effortlessly on two locking swivel and two rigid 6" casters
- Both hands are required to operate controls for user safety
- 12V DC power source complete with battery and charger for raising and lowering (alternate power sources available)
- 80 to 100 raise and lower cycles between charges
- 2 models to choose from:
 - Ground Entry (OP-10*) – raises to 9'6" and contains two 24" x 24" shelves on base (*Shelf that raises and lowers with platform not included)
 - One Step Entry (OP-11) – raises to 10'6" and contains two 18" x 24" shelves on base and a 20" x 28" shelf that raises and lowers platform

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Standard finish is deep gray enamel paint
- Meets/exceeds ANSI safety standards

Maintenance Order Picking Man Lift Specifications:

Model Number	Platform Max	Platform Min	Working Height	Platform Length	Platform Width	Weight Lbs.
OP-10	9' 6"	12"	15'	26"	28"	710
OP-11	10' 6"	23"	16'	26"	28"	730

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



Maintenance Order Picking Man Lift OP-11

Maintenance Order Picking Man Lift OP-11

Maintenance Order Picking Man Lift OP-11 Features:

- One Person lift with 300 lbs. capacity

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Totally enclosed 26" x 28" platform with 42" guardrails, midrails and gate
- Welded compact base 32" x 63" allows lift to pass through doorways
- No outriggers required
- Rolls effortlessly on two locking swivel and two rigid 6" casters
- Both hands are required to operate controls for user safety
- 12V DC power source complete with battery and charger for raising and lowering (alternate power sources available)
- 80 to 100 raise and lower cycles between charges
- 2 models to choose from:
 - Ground Entry (OP-10*) – raises to 9'6" and contains two 24" x 24" shelves on base (*Shelf that raises and lowers with platform not included)
 - One Step Entry (OP-11) – raises to 10'6" and contains two 18" x 24" shelves on base and a 20" x 28" shelf that raises and lowers platform

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Standard finish is deep gray enamel paint
- Meets/exceeds ANSI safety standards

Maintenance Order Picking Man Lift Specifications:

Model Number	Platform Max	Platform Min	Working Height	Platform Length	Platform Width	Weight Lbs.
OP-10	9' 6"	12"	15'	26"	28"	710
OP-11	10' 6"	23"	16'	26"	28"	730

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



**Manual
Platform**

Winch

Elevating

**Manual
Platform**

Winch

Elevating

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Manual Winch Elevating Platform Features:

- The electro/hydraulic elevating work platform offers convenient ground entry and elevation to a maximum platform height of 17 ft. giving a working height of 23 ft.
- The Maxi-Lifts® smooth electro/hydraulic system is powered by a 12V DC motor.
- The heavy duty steel construction and dual leaf chains provide a comfortable, stable ascent to the desired work level.
- A built-in battery charger is provided with two (2) heavy duty 6V deep cycle batteries.
- All units are supplied with 110V AC power outlet on the platform.
- A lockable control center is provided to prevent unauthorized use.
- Designed to be handled and operated by one worker, it rolls easily from job to job and fits through a standard doorway without alteration or disassembly.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Platform is 25 ½" x 29"
- Handrails are 42" with toe boards
- Safety Outriggers
- 300 lb capacity

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Mini Merchandise Lift

Mini Merchandise Lift

Mini Merchandise Lift Features:

This unique lift features a very small footprint (26" X 48"), the benefit is the ability to operate it in tight aisle ways. The BMML-9 has a heavy duty shelf that is perfect for stocking and de-stocking. Imagine the increased productivity and safety enhancement as an employee can load multiple boxes on the shelf rather than going up and down carrying boxes. The lift is equipped with a limit switch which prohibits the lift from rising without the floor locks firmly on the floor. The Mini Merchandise Lift is easy to maneuver as it comes with two swivel casters and two rigid casters. The BMML-9 is battery

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

operated and can be charged using a standard 110 volt outlet. The lift also comes with a Manual Lowering Valve, Power Cut-Off Switches and Simple Controls – ALL STANDARD!!

- Shelf Lip to prevent packages from falling off the front of the lift
- Safety Control Panel- 3 button plus Kill Switch
- Manual Lowering Valve
- Limit Switch included. This will prohibit the lift from ascending without the casters being locked to the floor.
- “Push” handles added to the front and back of the lift for easy maneuverability
- Safety shield to prevent access to the chains and linkages
- Enlarged Standing Platform for added safety and comfort

Mini Merchandise Lift Specifications:

Model Number	Capacity Lbs.	Base	Platform Height	Platform Lowered Height	Footprint	Overall Height	Platform Size	Merchandise Shelf	Shelf Height
BMML-9	500	26" x 48"	71" max	13"	30" x 46"	55"	23 1/2" x 20"	25" x 17"	110" ma

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



MR-15-AC MRO Telescoping Man

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

Lift

MR-15-AC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-15-AC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to prevent overload
- Check valve maintains platform elevation

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15', 19', 24' or 28'
- Roomy 28' x 36' platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck
- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for uneven surfaces
- Standard deep gray enamel finish

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Meets/exceeds ANSI safety standards

MR-15-AC MR0 Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000
MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



MR-15-DC MRO Telescoping Man Lift

MR-15-DC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-15-DC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to prevent overload
- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15', 19', 24' or 28'
- Roomy 28' x 36' platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for uneven surfaces
- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-15-DC MRO Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-20-AC MRO Telescoping Man Lift

MR-20-AC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-20-AC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

prevent overload

- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15'0", 19'0", 24'0" or 28'0"
- Roomy 28'0" x 36'0" platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck
- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

uneven surfaces

- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-20-AC MR0 Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000
MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



MR-20-DC MRO Telescoping Man Lift

MR-20-DC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-20-DC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to prevent overload
- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15', 19', 24' or 28'
- Roomy 28' x 36' platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for uneven surfaces
- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-20-DC MRO Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-24-AC MRO Telescoping Man Lift

MR-24-AC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-24-AC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

prevent overload

- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15'0", 19'0", 24'0" or 28'0"
- Roomy 28'0" x 36'0" platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck
- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

uneven surfaces

- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-24-AC MR0 Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000
MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



MR-24-DC MRO Telescoping Man Lift

MR-24-DC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-24-DC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to prevent overload
- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15', 19', 24' or 28'
- Roomy 28' x 36' platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for uneven surfaces
- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-24-DC MRO Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-28-AC MRO Telescoping Man Lift

MR-28-AC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-28-AC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

prevent overload

- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15'0", 19'0", 24'0" or 28'0"
- Roomy 28'0" x 36'0" platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck
- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

uneven surfaces

- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-28-AC MR0 Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000
MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>



MR-28-DC MRO Telescoping Man Lift

MR-28-DC MRO Telescoping Man Lift

Overhead Maintenance, Repair and Operating problems are solved with THIS two-worker MRO telescoping man lift. Helps

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

maintenance workers get jobs done quickly and safely with easy mobility and high speed elevation. Four manually propelled models with working heights to 34'.

MR-28-DC MRO Telescoping Man Lift Hydraulic system includes:

- Large diameter cylinder with chrome-plated ram and fluid restrictor
- Low pressure system includes by-pass pressure valve to prevent overload
- Check valve maintains platform elevation
- Solenoid valve provides remote lowering
- Base mounted lowering valve for safe descent in power failure

- Rated capacity 500 lbs. / two person
- Select from maximum platform heights of 15', 19', 24' or 28'
- Roomy 28' x 36' platform accommodates two workers
- Totally enclosed platform with 42" guard rails, midrails and gate; 4" toeboards and non-slip deck

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

- Built-in ladder with flat, skid resistant treads and grab rails provides access to platform in fully lowered position
- Rails fold for doorway passage and easy storage
- Non-marking 8" casters for easy rolling and maneuverability
- Self-storing outriggers extend from base to provide maximum stability
- Leveling jacks secure unit to floor and compensate for uneven surfaces
- Standard deep gray enamel finish
- Meets/exceeds ANSI safety standards

MR-28-DC MR0 Telescoping Man Lift Specifications:

Model Number	Platform Max	Height Min	Working Height	Weight Lbs.
MR-15-AC	15'	6' 4"	21'	800
MR-15-DC	15'	6' 4"	21'	930
MR-20-AC	19' 3"	6' 4"	25'	1000

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/personnel-lifts/>

MR-20-DC	19' 3"	6' 4"	25'	1130
MR-24-AC	23' 8"	6' 7"	30'	1200
MR-24-DC	23' 8"	6' 7"	30'	1330
MR-28-AC	28'	6' 10"	34'	1420
MR-28-DC	28'	6' 10"	34'	1550

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8