

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



1532ES Electric Scissor Lift

1532ES Electric Scissor Lifts

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extension with incremental locking positions
- Non-skid, steel deck construction
- Large sheet loading entrance
- Single arm scissor provides easy access for maintenance.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

No need for swing-out stations or tight working conditions.

- Patented Powerlift2 elevating system – built strong and works tough
- High torque power package
- Compact design fits in small and tight work areas

1532ES Electric Scissor Lifts Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Performance

- Fully Proportional Drive and Lift Controls

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- High Torque Power Package

Engine/Power

- Four 6V 220Ah Industrial Deep Cycle Batteries

Serviceability

- Lubrication-Free Scissor Bearings
- Specially designed hydraulic swivel fittings to reduce hydraulic hose binding and hose failure
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut-off at platform and lower controls
- Non-Skid Steel Deck Construction

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Automatic Pothole Protection

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

1932ES Electric Scissor Lift

1932ES Electric Scissor Lifts

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extension with incremental locking positions
- Non-skid, steel deck construction
- Large sheet loading entrance
- Single arm scissor provides easy access for maintenance. No need for swing-out stations or tight working conditions.
- Patented Powerlift2 elevating system – built strong and works tough
- High torque power package
- Compact design fits in small and tight work areas

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

1932ES Electric Scissor Lift Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Performance

- Fully Proportional Drive and Lift Controls
- High Torque Power Package
- Engine/Power
- Four 6V 220Ah Industrial Deep Cycle Batteries

Serviceability

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Lubrication-Free Scissor Bearings
- Specially designed hydraulic swivel fittings to reduce hydraulic hose binding and hose failure
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut-off at platform and lower controls
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Automatic Pothole Protection

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

1932RS Electric Scissor Lift

1932RS Electric Scissor Lift

1932RS Electric Scissor Lift Features:

- Passive pothole protection eliminates all moving parts in the pothole protection system, reducing the need for repair or replacement
- Ability to traverse grades of up to 25%
- Innovative operator controls, similar to the ES Series, and compact dimensions enable travel through doorways
- The direct electric drive delivers industry-leading duty cycles
- Leak points are minimized with a design that includes 4 hydraulic hoses
- Battery storage areas are easily accessible and have no drawers to pull out

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Quick Specs:

- Platform Height Elevated – 19 ft
- Overall Width – 32 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2030ES Electric Scissor Lift

2030ES Electric Scissor Lift- This Product has been Discontinued

2030ES Electric Scissor Lift Features:

- Quieter, cleaner operation for a variety of environments
- Electric drive and integrated components with only two hydraulic hoses and four hydraulic fittings on the entire machine will keep you on the job longer and reduce your operating costs by reducing chances for leaks and service calls
- Narrow width fits through most standard doorways and tight aisles

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Quick Specs:

- Platform Height Elevated – 20 ft
- Overall Width – 30 in
- Platform Capacity – 800 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2033ES Electric Scissor Lift

2033ES Electric Scissor Lift

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extension with incremental locking positions
- Non-skid, steel deck construction
- Large sheet loading entrance
- Single arm scissor provides easy access for maintenance. No need for swing-out stations or tight working conditions.
- Patented Powerlift2 elevating system – built strong and works tough
- High torque power package
- Bigger platform with the longest deck extension
- Extremely low entry height

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Narrow design fits easily through aisles and doorways

2033ES Electric Scissor Lift Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Performance

- Fully Proportional Drive and Lift Controls
- High Torque Power Package
- Maneuvers well through narrow aisles
- Engine/Power
- Four 6V 220Ah Industrial Deep Cycle Batteries

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Serviceability

- Lubrication-Free Scissor Bearings
- Specially designed hydraulic swivel fittings to reduce hydraulic hose binding and hose failure
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut-off at platform and lower controls
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Automatic Pothole Protection

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2591ES Electric Scissor Lift

2591ES Electric Scissor Lifts

—

This Product Has Been Discontinued

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extensions with incremental locking positions
- Non-skid steel deck construction

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Large sheet loading entrance
- Easy maintenance access without raising platform or swing-out trays
- Quad-Trax[®] 4wd power package
- Outrigger support for platform stability on heavy duty jobs sites with one-touch[®] auto leveling
- Powered by eight 6V 375Ah Industrial, deep cycle batteries
- Oscillating rear axle with 12^{1/2}" (30.48 cm) ground clearance

2591ES Electric Scissor Lift Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48^{1/2}" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

lubricating bearings for larger load bearing surface in scissor pivot areas

Performance

- Fully proportional drive and lift controls
- Oscillating rear axle with 12" (30.48 cm) ground clearance
- Quad-Trax 4wd Power Package
- Engine/Power
- Eight 6V 375 Ah Industrial, Deep Cycle Batteries

Serviceability

- Lubrication-Free Scissor Bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Emergency shut off at platform and lower controls

2591ES Electric Scissor Lift Specifications:

Length	144 in. (3.66 m)
Height	Working: 31 ft. (9.62 m)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

	Maximum Drive: 25 ft. (7.62 m)
	Stowed (Top Guardrail): 100.5 in. (2.55 m)
	Stowed (Rails Folded): 71 in. (1.8 m)
	Guardrail: 44.5 in. (1.13 m)
	Toeboard: 7 in. (18 cm)
Width	91 in. (2.31 m)
Weight	8,600 lbs. (3,900 kg)
Ground Clearance	12 in. (30.48 cm)
Wheelbase	102.5 in. (2.6 m)
Turning Radius	Inside: 76 in. (1.93 m)
	Outside: 195 in. (4.95 m)
ENGINE & DRIVETRAIN	
Drive System	Planetary, 2-speed wheel motors
ELECTRICAL	
Motor	Electric
BATTERY	

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Battery	(8) 6V 375Ah industrial deep cycle
HYDRAULICS	
Hydraulic Tank Capacity	23 gal. (87 l)
PERFORMANCE	
Tires	12 – 16.5 NHS outrigger
Travel Speed	Stowed: 2.6 mph (4.2 km/h) Raised: 0.5 mph (0.8 km/h)
Gradeability	40%
Capacity	Lift: 2,000 lbs. (907 kg) Roll-Out Deck: 500 lbs. (227 kg)
Platform Height	25 ft. (7.62 m) 57 in. (1.45 m) entry height
Platform Size	Extended Length: 180 in. (4.57 m) Retracted Length: 132 in. (3.35 m) Roll-Out Deck: 48 in. (1.22 m)
Raise/Lower Time	24/28 sec.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2591RT Rough Terrain Scissor Lift

2591RT Rough Terrain Scissor Lift –

This Product Has Been Discontinued

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extensions with incremental locking positions
- Non-skid steel deck construction
- Large sheet loading entrance
- Easy maintenance access without raising platform or swing-out trays

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Quad-Trax[®] 4wd power package
- Outrigger support for platform stability on heavy duty jobs sites with [®]one-touch[®] auto leveling
- Powered by liquid-cooled engine
- Multiple fuel selections (gasoline/liquid propane or diesel)
- Oscillating rear axle with 12^{1/2}" (30.48 cm) ground clearance

2591RT Rough Terrain Scissor Lift Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48^{1/2}" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Performance

- Fully proportional drive and lift controls
- Oscillating rear axle with 12" (30.48 cm) ground clearance
- Quad-Trax 4wd Power Package
- Engine/Power
- Multiple Fuel Selections (gasoline/liquid propane or diesel)
- Liquid-Cooled Engine

Serviceability

- Lubrication-Free Scissor Bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-AxisTilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Emergency shut off at platform and lower controls

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



260MRT Scissor Lift

260MRT Scissor Lift

260MRT Scissor Lift Features:

- Narrow 69 in chassis fits into spaces other scissor lifts can't
- Large work platform and 1,250 lb platform capacity so you can be more productive

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Standard four wheel drive and 35 percent gradeability keep you going

Quick Specs:

- Platform Height Elevated – 26 ft
- Overall Width – 5 ft 9 in
- Platform Capacity – 1,250 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



2630ES Electric Scissor Lift

2630ES Electric Scissor Lift

2630ES Electric Scissor Lift Features:

- Quieter, cleaner operation for a variety of environments
- Electric drive and integrated components with only two hydraulic hoses and four hydraulic fittings on the entire machine will keep you on the job longer and reduce your operating costs by reducing chances for

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

leaks and service calls

- Tight turning radius for great maneuverability

Quick Specs:

- Platform Height Elevated – 25 ft 6 in
- Overall Width – 30 in
- Platform Capacity – 500 lb / 800 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2633ES Electric Scissor Lift

2633ES Electric Scissor Lift

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extension with incremental locking positions
- Non-skid, steel deck construction
- Large sheet loading entrance
- Single arm scissor provides easy access for maintenance. No need for swing-out stations or tight working conditions.
- Patented Powerlift2 elevating system – built strong and works tough
- High torque power package

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Bigger platform with the longest deck extension
- Extremely low entry height
- Narrow design fits easily through aisles and doorways

2633ES Electric Scissor Lifts Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Performance

- Fully Proportional Drive and Lift Controls
- High Torque Power Package
- Maneuvers well through narrow aisles

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Engine/Power
- Four 6V 220Ah Industrial Deep Cycle Batteries

Serviceability

- Lubrication-Free Scissor Bearings
- Specially designed hydraulic swivel fittings to reduce hydraulic hose binding and hose failure
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut-off at platform and lower controls
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Automatic Pothole Protection

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2646ES Electric Scissor Lift

2646ES Electric Scissor Lift

2646ES Electric Scissor Lift Features:

- Quieter, cleaner operation for a variety of environments
- Electric drive and integrated components with only two hydraulic hoses and four hydraulic fittings on the entire machine will keep you on the job longer and reduce your operating costs by reducing chances for leaks and service calls
- Tight turning radius for great maneuverability

Quick Specs:

- Platform Height Elevated – 26 ft
- Overall Width – 46 in
- Platform Capacity – 1,000 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



2647ES Electric Scissor Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

2647ES Electric Scissor Lift

2647ES Electric Scissor Lift Specifications:

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extension with incremental locking positions
- Non-skid, steel deck construction
- Large sheet loading entrance
- Single arm scissor provides easy access for maintenance. No need for swing-out stations or tight working conditions.
- Patented Powerlift2 elevating system – built strong and works tough
- High torque power package
- Higher capacity (up to 1,250 lbs/566 kg) expands applications and productivity

2647ES Electric Scissor Lifts Features:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating
- bearings for larger load bearing surface in scissor pivot areas
- Extra wide platform for spacious work area

Performance

- Fully Proportional Drive and Lift Controls
- High Torque Power Package
- Engine/Power
- Four 6V 220Ah Industrial Deep Cycle Batteries (245Ah on 3247ES)

Serviceability

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Lubrication-Free Scissor Bearings
- Specially designed hydraulic swivel fittings to reduce hydraulic hose binding and hose failure
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut-off at platform and lower controls
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Automatic Pothole Protection

2647ES Electric Scissor Lift Dimensions:

Length	99 in. (2.51 m)
Height	Working: 32 ft. (9.92 m)
	Platform: 26 ft. (7.92 m)
	Stowed (Top Guardrail): 88.75 in. (2.25 m)
	Stowed (Rails Folded): 70 in. (1.78 m)
Width	47 in. (1.19 m)
Weight	5,300 lbs. (2,404 kg)
Ground Clearance	3.5 in. (8.89 cm)
	0.75 in. (1.9 cm)
Wheelbase	71 in. (1.8 m)
Turning Radius	Inside: Zero
	Outside: 94 in. (2.4 m)
ENGINE & DRIVETRAIN	

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Horsepower	4 hp (2.98 kW) @ 3,000 rpm
Drive System	Proportional drive and lift controls
	Axle: Dual front wheel hydraulic
ELECTRICAL	
Motor	Electric
BATTERY	
Battery	(4) 6V deep cycle, 220Ah @ 20 hr. rating
HYDRAULICS	
Hydraulic Tank Capacity	4.5 gal. (17 l)
Operating Pressure	Main: 2,750 psi (190 bar)
	Lift: 2,500 psi (172.4 bar)
	Steer: 900 psi (62 bar)
PERFORMANCE	
Tires	Solid, non-marking rubber
	16 x 5 in. (40.64 x 12.7 cm)
Tracks	Wheel: 41 in. (1.04 m)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Travel Speed	Raised: 0.62 mph (1 km/h) Stowed: 2.5 mph (4 km/h)
Gradeability	25%
Capacity	3 occupants
	Lift: 1,000 lbs. (454 kg) evenly distributed
	Roll-Out Deck: 250 lbs. (113 kg)
Platform Height	Guardrail: 43.4 in. (1.1 m) Toeboard: 6 in. (15 cm)
Platform Size	Extended Length: 133.5 in. (33.9 m) Retracted Length: 91 in. (2.31 m) Roll-Out Deck: 42.1 in. (1.07 m)
Raise/Lower Time	30/35 sec.

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



2659ERT DC Battery Powered Scissor Lift

2659ERT DC Battery Powered Scissor Lift

2659ERT DC Battery Powered Scissor Lift Specifications:

- 26- and 32-ft (8- and 9.75-m) Platform Heights

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Fully Proportional Drive & Lift Controls
- Rough Terrain Capability
- Paired With Slab Size & Sensibility
- 4-Wheel Drive, 48v DC Power
- 59" (150 cm) Overall Width
- No-Maintenance Scissor Bearings
- Roll-Out Deck Extension with Incremental Lock Positions
- Standard Integrated
- Sheet Material Rack
- Patented Powerlift2 Scissor System – Built Strong, Works Tough
- Outrigger Support For Platform

2659ERT DC Battery Powered Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates
- 48" (1.22 m) material

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- 110V Power to Platform
- Integrated sheet material rack designed and approved by the manufacturer

Performance

- 4-Wheel Drive, 48v DC Power
- Fully Proportional Drive and Lift Controls

Power

- Eight 6V 250 Ah Industrial Deep Cycle Batteries

Serviceability

- Lubrication-Free Scissor Bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut off at platform and lower controls
- Non-Skid Steel Deck Construction
- Descent Alarm
- DriveSpeed Interlock
- Multi-AxisTilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Automatic Pothole Protection

2659ERT DC Electric Scissor Lift Dimensions:

Length	105 in. (2.67 m)
	99 in. (2.5 m) without step
Height	Working: 32 ft. (9.92 m)
	Maximum Drive: 26 ft. (7.92 m)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

	Stowed (Top Guardrail): 90 in. (2.29 m)
	Stowed (Rails Folded): 75 in. (1.9 m)
	Guardrail: 43-3/8 in. (1.1 m)
	Toeboard: 6 in. (15 cm)
Width	59 in. (1.5 m)
Weight	6,065 lbs. (2,750 kg)
Ground Clearance	6 in. (15 cm)
Wheelbase	82 in. (2.1 m)
Turning Radius	Inside: 59 in. (1.5 m)
BATTERY	
Battery	48V DC, 250Ah battery pack
HYDRAULICS	
Hydraulic System	4-wheel drive
PERFORMANCE	
Tires	23 x 10.5 in. (58 x 26.7 cm)
Travel Speed	Stowed: 3.2 mph (5.1 km/h)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

	Raised: 0.4 mph (0.65 km/h)
Gradeability	35% / 19°
Capacity	3 person, 750 lbs. (340 kg)
	Lift: 1,000 lbs. (450 kg)
	Roll-Out Deck: 250 lbs. (113 kg)
	Sheet Rack: 250 lbs. (113 kg)
Platform Height	26 ft. (7.92 m)
	45 in. (1.15 m) floor
Platform Size	Extended Length: 133.5 in. (3.39 m)
	Retracted Length: 91 in. (2.31 m)
	Roll-Out Deck: 42.25 in. (1.07 m)
	Width: 46 in. (1.17 m)
	Sheet Rack: 8 in. (20 cm)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



3246ES Electric Scissor Lift

3246ES Electric Scissor Lift

3246ES Electric Scissor Lift Features:

- Quieter, cleaner operation for a variety of environments
- Electric drive and integrated components with only two hydraulic hoses and four hydraulic fittings on the entire machine will keep you on the job longer and

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

reduce your operating costs by reducing chances for leaks and service calls

- Tight turning radius for great maneuverability

Quick Specs:

- Platform Height Elevated – 31 ft 9 in
- Overall Width – 46 in
- Platform Capacity – 700 lb / 1,000 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



3247ES Electric Scissor Lift

3247ES Electric Scissor Lift

3247ES Electric Scissor Lift Specifications:

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extension with incremental locking positions
- Non-skid, steel deck construction
- Large sheet loading entrance

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Single arm scissor provides easy access for maintenance. No need for swing-out stations or tight working conditions.
- Patented Powerlift2 elevating system – built strong and works tough
- High torque power package
- Higher capacity (up to 1,250 lbs/566 kg) expands applications and productivity

3247ES Electric Scissor Lifts Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Extra wide platform for spacious work area

Performance

- Fully Proportional Drive and Lift Controls
- High Torque Power Package
- Engine/Power
- Four 6V 220Ah Industrial Deep Cycle Batteries (245Ah on 3247ES)

Serviceability

- Lubrication-Free Scissor Bearings
- Specially designed hydraulic swivel fittings to reduce hydraulic hose binding and hose failure
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut-off at platform and lower controls
- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Automatic Pothole Protection

3247ES Electric Scissor Lift Dimensions:

Length	99 in. (2.51 m)
Height	Working: 38 ft. (11.75 m)
	Platform: 32 ft. (9.75 m)
	Stowed (Top Guardrail): 95.25 in. (2.45 m)
	Stowed (Rails Folded): 76 in. (1.94 m)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Width	47 in. (1.19 m)
Weight	5,990 lbs. (2,717 kg)
Ground Clearance	3.5 in. (8.89 cm)
	0.75 in. (1.9 cm)
Wheelbase	71 in. (1.8 m)
Turning Radius	Inside: Zero
	Outside: 94 in. (2.4 m)
ENGINE & DRIVETRAIN	
Horsepower	4 hp (2.98 kW) @ 3,000 rpm
Drive System	Proportional drive and lift controls
	Axle: Dual front wheel hydraulic
ELECTRICAL	
Motor	Electric
BATTERY	
Battery	(4) 6V deep cycle, 220Ah @ 20 hr. rating
HYDRAULICS	

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Hydraulic Tank Capacity	4.5 gal. (17 l)
Operating Pressure	Main: 2,750 psi (190 bar)
	Lift: 2,500 psi (172.4 bar)
	Steer: 900 psi (62 bar)
PERFORMANCE	
Tires	Solid, non-marking rubber
	16 x 5 in. (40.64 x 12.7 cm)
Tracks	Wheel: 41 in. (1.04 m)
Travel Speed	Raised: 0.62 mph (1 km/h)
	Stowed: 2.5 mph (4 km/h)
Gradeability	25%
Capacity	2 occupants
	Lift: 700 lbs. (318 kg) evenly distributed
	Roll-Out Deck: 250 lbs. (113 kg)
Platform Height	Guardrail: 43.4 in. (1.1 m)
	Toeboard: 6 in. (15 cm)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Platform Size	Extended Length: 133.5 in. (33.9 m)
	Retracted Length: 91 in. (2.31 m)
	Roll-Out Deck: 42.1 in. (1.07 m)
Raise/Lower Time	42/32 sec.

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

3248RS Electric Scissor Lift

3248RS Electric Scissor Lift

3248RS Electric Scissor Lift Features:

- Passive pothole protection eliminates all moving parts in the pothole protection system, reducing the need for repair or replacement
- Ability to traverse grades of up to 25%
- Innovative operator controls, similar to the ES Series, and compact dimensions enable travel through doorways
- Battery storage areas are easily accessible and have no drawers to pull out
- The direct electric drive delivers industry-leading duty cycles
- Leak points are minimized with a design that includes 4 hydraulic hoses

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Quick Specs:

- Platform Height Elevated – 32 ft
- Overall Width – 48 in
- Platform Capacity – 705 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

3259ERT DC Battery Powered Scissor Lift

3259ERT DC Battery Powered Scissor Lift

3259ERT DC Battery Powered Scissor Lift Specifications:

- 26- and 32-ft (8- and 9.75-m) Platform Heights
- Fully Proportional Drive & Lift Controls
- Rough Terrain Capability
- Paired With Slab Size & Sensibility
- 4-Wheel Drive, 48v DC Power
- 59" (150 cm) Overall Width
- No-Maintenance Scissor Bearings
- Roll-Out Deck Extension with Incremental Lock Positions
- Standard Integrated

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Sheet Material Rack
- Patented Powerlift2 Scissor System – Built Strong, Works Tough
- Outrigger Support For Platform
- Stability On Heavy Duty Jobsites with One-Touch Auto Leveling

3259ERT DC Battery Powered Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates
- 48" (1.22 m) material
- 110V Power to Platform
- Integrated sheet material rack designed and approved by the manufacturer

Performance

- 4-Wheel Drive, 48v DC Power

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Fully Proportional Drive and Lift Controls

Power

- Eight 6V 250 Ah Industrial Deep Cycle Batteries

Serviceability

- Lubrication-Free Scissor Bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Emergency shut off at platform and lower controls
- Non-Skid Steel Deck Construction
- Descent Alarm
- Drive Speed Interlock

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Multi-AxisTilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Automatic Pothole Protection

3259ERT DC Electric Scissor Lift Dimensions:

Length	105 in. (2.67 m)
	99 in. (2.5 m) without step
Height	Working: 38 ft. (11.75 m)
	Maximum Drive: 32 ft. (9.75 m)
	Stowed (Top Guardrail): 96 in. (2.44 m)
	Stowed (Rails Folded): 82 in. (2.09 m)
	Guardrail: 43-3/8 in. (1.1 m)
	Toeboard: 6 in. (15 cm)
Width	59 in. (1.5 m)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Weight	6,950 lbs. (3,150 kg)
Ground Clearance	6 in. (15 cm)
Wheelbase	82 in. (2.1 m)
Turning Radius	Inside: 59 in. (1.5 m)
BATTERY	
Battery	48V DC, 250Ah battery pack
HYDRAULICS	
Hydraulic System	4-wheel drive
PERFORMANCE	
Tires	23 x 10.5 in. (58 x 26.7 cm)
Travel Speed	Stowed: 3.1 mph (5 km/h)
	Raised: 0.4 mph (0.65 km/h)
Gradeability	31% / 17°
Capacity	2 person, 500 lbs. (225 kg)
	Lift: 750 lbs. (340 kg)
	Roll-Out Deck: 250 lbs. (113 kg)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

	Sheet Rack: 250 lbs. (113 kg)
Platform Height	32 ft. (9.75 m)
	51 in. (1.3 m) floor
Platform Size	Extended Length: 133.5 in. (3.39 m)
	Retracted Length: 91 in. (2.31 m)
	Roll-Out Deck: 42.25 in. (1.07 m)
	Width: 46 in. (1.17 m)
	Sheet Rack: 8 in. (20 cm)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



3394RT Scissor Lift

3394RT Scissor Lift

3394RT Scissor Lift Features:

- Larger platform and increased lift capacity
- Optional one-touch leveling jacks for quicker setup
- Maximum lift and lower time of 43 seconds gives you more time to get your work done
- New twin-pump-powered 4WD for a higher level of performance over rough terrain

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8




PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Quick Specs:

- Platform Height Elevated – 33 ft
- Overall Width – 7 ft 10 in
- Platform Capacity – 2,250 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

4069ERT Electric Scissor Lift

4069ERT Electric Scissor Lift

4069ERT Electric Scissor Lift Specifications:

- 40-ft (12.2-m) Platform Height
- Standard 4-Wheel Drive with Quad-Trax Traction Control
- 48v DC Electric or 24.8 hp (18.5 kW) Diesel Power
- Roll-Out Deck Extension with Incremental Lock Positions
- Optional Outriggers with One-Touch Auto Leveling
- Optional Pipe Rack/Sheet Material Clamps
- 40% Gradeability
- Two Full Steps Lower At 51" Platform Entry Height
- Fully Proportional Drive & Lift Control

4069ERT Electric Scissor Lifts Features:

Work Area

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Standard integrated sheet material rack designed and approved by the manufacturer
- Super-low platform entry height
- Roll-out deck extension with incremental locking positions
- Standard swing gate110V Power to Platform

Performance

- Standard 4-Wheel Drive with Quad-Trax Traction Control
- Fully Proportional Drive and Lift Controls

Power

- 48v 375 Ah (420 Ah optional) DC Electric or 24.8 hp (18.5 kW) Kubota Diesel Power

Serviceability

- Lubrication-free scissor bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic component
- Emergency shut-off at platform and lower controls
- Non-skid metal deck construction
- Descent alarm
- Drive speed interlock
- Multi-axis tilt sensor
- Multiple disc brakes, manual brake release
- Scissor maintenance lock
- 4-wheel automatic parking brake

4069ERT Electric Scissor Lift Dimensions:

Length	126 in. (3.2 m)
Height	46 ft. (14 m)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

	98.5 in. (2.5 m) stowed (top guardrail)
	78 in. (1.98 m) stowed (rails folded)
	51 in. (1.3 m) stowed (platform floor)
	43.5 in. (1.11 m) guardrail
	6 in. (15 cm) toeboard
Width	69 in. (1.75 m)
Weight	10,800 lbs. (4,900 kg)
Ground Clearance	10 in. (25 cm)
Wheelbase	94.5 in. (2.4 m)
Turning Radius	79 in. (2 m) inside
ENGINE & DRIVETRAIN	
Drive System	4 wheel drive
ELECTRICAL	
Motor	Electric
BATTERY	
Battery	48V DC, 375Ah battery pack

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

PERFORMANCE	
Tires	26 x 12 in. (66 x 33 cm)
Instrumentation	Proportional drive and lift controls
Travel Speed	3.75 mph (6 km/h)
Gradeability	40%
Capacity	800 lbs. (360 kg) total lift
	250 lbs. (113 kg) roll-out deck
	300 lbs. (136 kg) sheet rack
Platform Height	40 ft. (12.2 m)
Platform Size	Length (Extended): 166 in. (4.22 m)
	Length (Retracted): 118 in. (3 m)
	Width (Outside): 59 in. (1.5 m)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



4069LE Electric Scissor Lift

4069LE Electric Scissor Lift

4069LE Electric Scissor Lift Features:

- Superior performance on or off slab
- Rugged terrain tires take you anywhere you want to go
- With optional hydraulic leveling jacks, uneven terrain is no problem

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Double the duty cycle of other scissor lifts so you can stay on the job longer

Quick Specs:

- Platform Height Elevated – 40 ft
- Overall Width – 5 ft 9 in
- Platform Capacity – 800 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



4069RT Diesel Scissor Lift

4069RT Diesel Scissor Lift

4069RT Diesel Scissor Lift Specifications:

Length

126 in. (3.2 m)

Height

46 ft. (14 m)

98.5 in. (2.5 m) stowed (top guardrail)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

78 in. (1.98 m) stowed (rails folded)
51 in. (1.3 m) stowed (platform floor)
43.5 in. (1.11 m) guardrail
6 in. (15 cm) toeboard

Width

69 in. (1.75 m)

Weight

10,800 lbs. (4,900 kg)

Ground Clearance

10 in. (25 cm)

Wheelbase

94.5 in. (2.4 m)

Turning Radius

79 in. (2 m) inside

Engine & Drivetrain

Drive System

4 wheel drive

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Electrical

Motor

Diesel

Battery

Battery

48V DC, 375Ah battery pack

Performance

Tires

26 x 12 in. (66 x 33 cm)

Instrumentation

Proportional drive and lift controls

Travel Speed

3.75 mph (6 km/h)

Gradeability

40%

Capacity

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

800 lbs. (360 kg) total lift

250 lbs. (113 kg) roll-out deck

300 lbs. (136 kg) sheet rack

Platform Height

40 ft. (12.2 m)

Platform Size

166 in. (4.22 m) length extended

118 in. (3 m) length retracted

59 in. (1.5 m) outside width

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

4191ES Electric Scissor Lift

4191ES Electric Scissor Lift-

This Product Has Been Discontinued

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extensions with incremental locking positions
- Non-skid steel deck construction
- Large sheet loading entrance
- Easy maintenance access without raising platform or

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

swing-out trays

- Quad-Trax[®] 4wd power package
- Outrigger support for platform stability on heavy duty jobs sites with [®]one-touch[®] auto leveling
- Powered by eight 6V 375Ah Industrial, deep cycle batteries
- Oscillating rear axle with 12^{1/2}" (30.48 cm) ground clearance

4191ES Electric Scissor Lift Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48^{1/2}" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Performance

- Fully proportional drive and lift controls
- Oscillating rear axle with 12" (30.48 cm) ground clearance
- Quad-Trax 4wd Power Package
- Engine/Power
- Eight 6V 375 Ah Industrial, Deep Cycle Batteries

Serviceability

- Lubrication-Free Scissor Bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Non-Skid Steel Deck Construction
- Motion Alarm
- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Emergency shut off at platform and lower controls

4191ES Electric Scissor Lift Specifications:

Length	144 in. (3.66 m)
Height	Working: 47 ft. (14.5 m)
	Maximum Drive: 41 ft. (12.5 m)
	Stowed (Top Guardrail): 119 ft. (3 m)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

	Stowed (Rails Folded): 87.5 in. (2.22 m)
	Guardrail: 44.5 in. (1.13 m)
	Toeboard: 7 in. (18 cm)
Width	91 in. (2.31 m)
Weight	10,300 lbs. (4,670 kg)
Ground Clearance	12 in. (30.48 cm)
Wheelbase	102.5 in. (2.6 m)
Turning Radius	Inside: 76 in. (1.93 m)
	Outside: 195 in. (4.95 m)
ENGINE & DRIVETRAIN	
Drive System	Planetary, 2-speed wheel motors
ELECTRICAL	
Motor	Electric
BATTERY	
Battery	(8) 6V 375Ah industrial deep cycle
HYDRAULICS	

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Hydraulic Tank Capacity	23 gal. (87 l)
PERFORMANCE	
Tires	12 – 16.5 NHS outrigger
Travel Speed	Stowed: 2.6 mph (4.2 km/h)
	Raised: 0.5 mph (0.8 km/h)
Gradeability	40%
Capacity	Lift: 1,000 lbs. (454 kg)
	Roll-Out Deck: 500 lbs. (227 kg)
Platform Height	41 ft. (12.5 m)
	74 in. (1.88 m) entry height
Platform Size	Extended Length: 180 in. (4.57 m)
	Retracted Length: 132 in. (3.35 m)
	Roll-Out Deck: 48 in. (1.22 m)
Raise/Lower Time	45/50 sec

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



4191RT Rough Terrain Scissor Lift

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

4191RT Rough Terrain Scissor Lift- This Product Has Been Discontinued

- Fully proportional drive and lift controls
- No-maintenance scissor bearings
- Roll-out deck extensions with incremental locking positions
- Non-skid steel deck construction
- Large sheet loading entrance
- Easy maintenance access without raising platform or swing-out trays
- Quad-Trax[®] 4wd power package
- Outrigger support for platform stability on heavy duty jobs sites with one-touch[®] auto leveling
- Powered by liquid-cooled engine

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Multiple fuel selections (gasoline/liquid propane or diesel)
- Oscillating rear axle with 12" (30.48 cm) ground clearance

4191RT Rough Terrain Scissor Lift Features:

Work Area

- Roll-out deck extension with incremental locking positions
- Large sheet loading entrance accommodates 48" (1.22 m) material
- 110V Power to Platform
- Combination of wide beams and large pins in self-lubricating bearings for larger load bearing surface in scissor pivot areas

Performance

- Fully proportional drive and lift controls
- Oscillating rear axle with 12" (30.48 cm) ground

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

clearance

- Quad-Trax[®] 4wd Power Package
- Engine/Power
- Multiple Fuel Selections (gasoline/liquid propane or diesel)
- Liquid-Cooled Engine

Serviceability

- Lubrication-Free Scissor Bearings
- Easy maintenance access to mechanical and electrical components without raising platform or swinging out trays
- Logically grouped components and numbered wiring for easy reference

Safety

- Dedicated compartments protect electrical and hydraulic components
- Non-Skid Steel Deck Construction
- Motion Alarm

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- Drive Speed Interlock
- Multi-Axis Tilt Sensor
- Multiple Disc Brakes, manual brake release
- Scissor Maintenance Lock
- Dual Automatic Parking Brake
- Emergency shut off at platform and lower controls

4191RT Rough Terrain Scissor Lift Specifications:

Length	144 in. (3.66 m)
Height	Working: 47 ft. (14.5 m)
	Maximum Drive: 41 ft. (12.5 m)
	Stowed (Top Guardrail): 119 in. (3 m)
	Stowed (Rails Folded): 87.5 in. (2.22 m)
	Guardrail: 44.5 in. (1.13 m)
	Toeboard: 7 in. (18 cm)
Width	91 in. (2.31 m)

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Weight	9,700 lbs. (4,400 kg)
Ground Clearance	12 in. (30.48 cm)
Wheelbase	102.5 in. (2.6 m)
Turning Radius	Inside: 76 in. (1.93 m)
	Outside: 195 in. (4.95 m)
ENGINE & DRIVETRAIN	
Engine Make	Kubota
Engine Model	DF752
Engine Type	Dual Fuel
Fuel Type	Gas & LP
Fuel Tank Capacity	15 gal. (57 l)
Drive System	Planetary drive, 2-speed wheel motors
HYDRAULICS	
Hydraulic System	Variable displacement
Hydraulic Tank Capacity	23 gal. (87 l)
PERFORMANCE	

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

Tires	12 – 16.5 NHS outrigger
Travel Speed	Stowed: 3.8 mph (6.1 km/h)
	Raised: 0.8 mph (1.3 km/h)
Gradeability	45%
Capacity	Lift: 1,000 lbs. (454 kg)
	Roll-Out Deck: 500 lbs. (227 kg)
Platform Height	41 ft. (12.5 m)
	74 in. (1.88 m) entry height
Platform Size	Extended Length: 180 in. (4.57 m)
	Retracted Length: 132 in. (3.35 m)
	Roll-Out Deck: 48 in. (1.22 m)
Raise/Lower Time	34/40 sec.

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>



4394RT Scissor Lift

4394RT Scissor Lift

4394RT Scissor Lift Features:

- Larger platform and increased lift capacity
- Optional one-touch leveling jacks for quicker setup
- Maximum lift and lower time of 43 seconds gives you more time to get your work done

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/scissor-lifts/>

- New twin-pump-powered 4WD for a higher level of performance over rough terrain

Quick Specs:

- Platform Height Elevated – 43 ft
- Overall Width – 7 ft 10 in
- Platform Capacity – 1,250 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8