

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



1200SJP Telescopic Boom Lift

1200SJP Telescopic Boom Lift

Telescopic Boom Lift Features:

- Ground to 120 ft up in 95 seconds
- Stability and capacity from 100,000-psi steel and a dual 1,000 / 500 lb capacity

Quick Specs:

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Platform Height Elevated – 120 ft
- Overall Width – 8 ft 2 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

1350SJP Telescopic Boom Lift

1350SJP Telescopic Boom Lift

1350SJP Telescopic Boom Lift Features:

- Ground to 135 ft up in 95 seconds
- Strong 100,000-psi steel and a dual 1,000 / 500 lb capacity give you stability and capacity

Quick Specs:

- Platform Height Elevated – 135 ft
- Overall Width – 8 ft 2 in
- Platform Capacity – 500 lb

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



1500SJ Telescopic Boom Lift

1500SJ Telescopic Boom Lift

1500SJ Telescopic Boom Lift Features:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Telescoping jib provides work envelope flexibility and even more outreach at elevation
- Ease of transport – no oversized load permit needed (over weight permit is required for highway transportation)
- Largest self-propelled telescopic boom available
- Strong 100,000-psi steel and a dual 1,000 / 500 lb capacity
- Ideal for general contractors, glaziers, window cleaners, welders and more

Quick Specs:

- Platform Height Elevated – 150 ft
- Platform Capacity – 1,000 lb / 500 lb
- Overall Width – 8 ft 2 in

Aerial Work Platforms is YOUR total Aerial Access Solution

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Provider.



36XT Telescoping Boom Lift

36XT Telescoping Boom Lift- This model has been Discontinued

The 36XT with 43 feet working height is part of the range of aerial work platforms / electric telescoping platforms for

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

people and material lifting.

Self-Propelled

- High performance 4WD system provides 3.5 mph (5.6 km/h) drive speed and 45% gradeability.
- Dual power and a narrow machine width makes the 36XT ideal for indoor and outdoor applications.

Lightweight

- Low point and floor loading is ideal for applications on lawns, landscaping and sensitive flooring applications.
- Hydraulic outriggers and automatic leveling capabilities allow users to set up and begin using lift functions in under 30 seconds.

Transportable

- With a weight of 5,020 lbs. (2,277 kg) operators can transport the 36XT on a utility trailer attached to a medium-duty SUV or truck.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- No commercial driver's license required.

36XT Telescoping Boom Lift Specifications:

Working height	43 ft
Maximum Platform height	37 ft 6 in
Maximum Horizontal outreach from Centerline	32 ft
Turntable Rotation	700° non-continuous
Load Capacity	500 lb
Stowed Height	6 ft 6 in
Stowed Length	20 ft 10 in
Stowed Width	5 ft 5 in
Platform Length	30 in
Platform Width	60 in
Total Weight	5,020 lbs

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



460SJ Telescopic Boom Lift

460SJ Telescopic Boom Lift

460SJ Telescopic Boom Lift Features:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Best-in-class gradeability and reach
- Fastest lift and drive speeds for unmatched productivity
- Low cost of ownership

Quick Specs:

- Platform Height Elevated – 46 ft
- Overall Width – 7 ft 6.5 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



60-J Diesel Telescoping Boom Lift

60-J Diesel Telescoping Boom Lift

60-J Diesel Telescoping Boom Lift Specifications:

Length

30 ft. 6 in. (9.3 m)

Height

66 ft. (20.1 m) working

60 ft. (18.3 m) drive

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

100 in. (2.5 m) overall

Width

96 in. (2.4 m)

Weight

17,900 lbs. (18,119 kg)

Ground Clearance

12 in. (3 m)

Turning Radius

6 ft. 6 in. (2 m) inside

Engine & Drivetrain

Engine Make

Kubota

Horsepower

44 hp

Fuel Type

Diesel

Fuel Tank Capacity

32 gal. (121 l)

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Hydraulics

Hydraulic Tank Capacity

40 gal. (151 l)

Performance

Travel Speed

4 mph (6.4 km/h) stowed

Gradeability

45%

Capacity

500 lbs. (227 kg) platform standard

2 people

Platform Height

60 ft. (18.3 m)

Platform Size

Width: 96 in. (2.4 m)

Depth: 40 in. (1 m)

Horizontal Reach

Maximum Outreach: 42 ft. 8 in. (13 m)

Boom

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Lift Speed: 50 sec

Extend Speed: 20 sec

Jib Lift: 15 sec

Rotation

Platform: 180° (90° each side)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



60-J Electric Telescoping

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Boom Lift

60-J Electric Telescoping Boom Lift

60-J Electric Telescoping Boom Lift Specifications:

Length

30 ft. 6 in. (9.3 m)

Height

66 ft. (20.1 m) working

60 ft. (18.3 m) drive

100 in. (2.5 m) overall

Width

96 in. (2.4 m)

Weight

18,500 lbs. (8,390 kg)

Ground Clearance

12 in. (3 m)

Turning Radius

6 ft. 6 in. (2 m) inside

Tail Overhang

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

47 in. (1.2 m)

Engine & Drivetrain

Engine Type

72C AC electric motor

Drive System

4-wheel

Battery

Battery

72V DC 420 A/H pack

Hydraulics

Hydraulic Tank Capacity

40 gal. (150 l)

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Performance

Tires

Standard air-filled,; foam filled, non-marking optional

Travel Speed

3 mph (4.8 km/h) stowed

Gradeability

45%

Capacity

500 lbs. (227 kg) platform standard

2 people

Platform Height

60 ft. (18.3 m)

Platform Size

Width: 96 in. (2.4 m)

Depth: 40 in. (1 m)

Horizontal Reach

Maximum Outreach: 42 ft. 8 in. (13 m)

Boom

Lift Speed: 50 sec

Extend Speed: 30 sec

Jib Lift: 20 sec

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Jib

135° range of motion

Rotation

Platform: 180° (90° each side)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



60-S Titan Self-Propelled

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Boom Lift

60-S Titan Self-Propelled Boom Lift

60-S Titan Self-Propelled Boom Lift Specifications:

- Up to 66' (20 m) working height
- Ultra-Deck with 3,000 lb (1350 kg) combined material and personnel capacity
- Huge 22 feet x 90 inch (6.7 m x 2.28 m) deck area
- Three steering modes: 2-Wheel Steer, 4-Wheel Steer, and Crab Steer
- Amazing 180° platform rotation plus additional telescope to get in close to work areas
- Frame leveling up to 10° each side
- Dual sliding centered side rails for fast and simple material loading into Load Zone
- Smooth, fully-proportional controls on all boom and drive functions

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- 40% Gradeability
- Stabilizer support for platform stability on heavy duty job sites with one-touch auto-leveling

60-S Titan Boom Lift Features:

Work Area

- Non-skid Metal Deck Construction
- 3,000 lb (1350 kg) Combined Platform Capacity:
- 2,000 lb (900 kg) Material Load Zone in Center of Platform
- 1,000 lb. (450 kg) Distributed Load for up to four (4) Workers and Tools
- Easy Access Sliding Side Gates for material loading
- Stainless Steel Wire Rope Lanyard Anchors for full platform mobility
- Pinless Guardrail System for quick & simple guard rail lowering
- AC Power to the Platform

Performance

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Fully Proportional Drive and Lift Controls
- Oscillating front and rear axles for frame leveling ability
- 18" (.46m) ground clearance
- High-Torque Power Package with Four Wheel Drive
- 180° Platform Rotation
- Dual front and rear Stabilizers
- One-Touch Chassis Leveling
- Control System
- Triple Joystick Interface
- Fully Proportional Multi-Function Controls

Engine/Power

- Two-speed Drive Motors
- Kubota Turbo Diesel Engine
- Engine Shutdown Protection

Serviceability

- Large Swing Module Doors for access to all components
- On-board Diagnostics Center

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Logically grouped components and numbered wiring for easy reference

Safety & Other Features

- 12V DC Auxiliary Power Unit
- Multi-Axis Tilt sensor
- Tilt Alarm and Horn
- Foam-Filled R4 Lug Tread Tires
- Four Wheel Disc Brakes
- Platform Swing Gate
- Hour Meter
- Powder Coat Finish
- Machine Tie-Downs

60-S Titan Boom Lift Dimensions:

Length	23 ft. (7 m)
	22 ft. 6 in. (6.9 m) with ladder
Height	66 ft. (20 m) working

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

	40 ft. (12.2 m) maximum d
	80 in. (2 m) loading hei
	94 in. (2.4 m) with rails t
Width	102 in. (2.6 m)
	144 in. (3.7 m) with stabiliz
	91 in. (2.3 m) shippin
Weight	39,700 lbs. (18,000 kg)
Ground Clearance	16 in. (41 cm) under ax
	18 in. (46 cm) under center of
Wheelbase	160 in. (4 m)
Turning Radius	10 ft. (3 m) inside
	24 ft. (7.3 m) outside
ENGINE & DRIVETRAIN	
Engine Make	Kubota
Engine Model	V-3800T

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Engine Type	Turbo
Horsepower	100 hp (74 kW)
Fuel Type	Diesel
Fuel Tank Capacity	40 gal. (150 l)
Drive System	2WS, 4WS, crab steering
HYDRAULICS	
Hydraulic Tank Capacity	50 gal. (190 l)
PERFORMANCE	
Travel Speed	4 mph (6.4 km/h) stowed 0.5 mph (0.8 km/h) elevated
Gradeability	40% / 22°
Capacity	3,000 lbs. (1,350 kg) total 2,000 lbs. (900 kg) material loaded (w/boom) 1,000 lbs. (450 kg) personnel and tools

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Platform Height	60 ft. (18.3 m)
Platform Size	Length: 22 ft. (6.7 m)
	Width: 90 in. (2.28 m)
Horizontal Reach	Translation: 75 ft. @ 24 ft. elevation (23 m)
Boom	Lift Speed: 60 sec
	Extend Speed: 45 sec
	Lift & Extend Combined Speed: 75 sec
Rotation	Platform: 180° (+90°, -90°)

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



600SC Telescopic Crawler Boom Lift

600SC Telescopic Crawler Boom Lift- This Product has been

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Discontinued

600SC Telescopic Crawler Boom Lift Features:

- For your toughest jobs and terrains, the 600 Crawler Series provides the mobility you need
- Single drive / steer joystick for one-handed operation
- Zero turning radius to get around the jobsite easier

Quick Specs:

- Platform Height Elevated – 60 ft 3 in
- Overall Width – 8 ft 2 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



**660SJC Telescopic Crawler
Boom Lift**

**660SJC Telescopic Crawler
Boom Lift-**

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

This Product has been Discontinued

660SJC Telescopic Crawler Boom Lift Features:

- For your toughest jobs and terrains, the 600 Crawler Series provides the mobility you need
- Single drive / steer joystick for one-handed operation
- Zero turning radius to get around the jobsite easier

Quick Specs:

- Platform Height Elevated – 66 ft 8 in
- Overall Width – 8 ft 2 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Provider.



800S Telescopic Boom Lift

800S Telescopic Boom Lift

800S Telescopic Boom Lift Features:

- Reach full elevation in less than 70 seconds

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- *Advanced Design Electronics System* reduces your costs by increasing fuel efficiency and reducing emissions

Quick Specs:

- Platform Height Elevated – 80 ft
- Overall Width – 8 ft 2 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Bil-Jax 3632T Trailer Boom Lift

Bil-Jax 3632T Trailer Boom Lift

Bil-Jax 3632T Trailer Boom Lift Features:

The Bil-Jax 3632T Trailer Boom Lift is part of the range of electrical trailer boom lift for people and material lifting.

An outstanding performer. Offers an industry leading combination of capacity and outreach.

- Automatic leveling in less than 30 seconds
- Best-in-class 12½ degree leveling capability
- Simple telescopic boom design
- Zero tail swing

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Intuitive control system
- Multiple function speeds
- 12½ in (32 cm) diameter non-marking footpads
- Hydraulic surge and parking brakes
- Integrated forklift pockets
- Working Height: 43ft 6in
- Platform Height: 37ft 6in
- Horizontal Outreach: 32ft
- Turnable Rotation: 700 Degrees Continuous
- Weight: 4400lbs
- Width: 5ft 6 in
- Length: 21ft 11in

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



Bil-Jax 5533A Trailer Boom Lift

Bil-Jax 5533A Trailer Boom Lift

Bil-Jax 5533A Trailer Boom Lift Features:

The Bil-Jax 5533A Trailer Boom Lift is part of the range of electrical trailer boom lift for people and material lifting.

Reaching above and beyond all expectations.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Automatic leveling in less than 30 seconds
- Best-in-class 12½ degree leveling capability
- Telescopic upper boom and platform jib
- Negative angle upper boom
- Intuitive control system
- Multiple function speeds
- 12½ in (32 cm) diameter non-marking footpads
- Hydraulic surge and parking brakes
- Integrated forklift pockets
- Working Height: 61ft 3 in
- Platform Height: 55ft 3 in
- Horizontal Outreach: 33ft 5 in
- Up an over Clearance: 23ft 1in
- Weight: 4800lbs
- Width: 5ft 7in
- Length: 22ft 11in
- Lift Capacity: 500lbs
- Turnable Rotation: 700 Degrees continuous

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



DR45 | Static Base Lift Platform

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

DR45 | Static Base Lift Platform

DR45 | Static Base Lift Platform Specifications:

Working Height: 51ft6in

Platform Height: 45ft

Machine Length: 21ft4in

Machine Width: 6ft1in

Cage Rotation: 180 Degrees

Min Weight: 10,700lbs

Safe Working Load: 500lbs

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



E33MJ Mast Telescopic Boom

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Lift

E33MJ Mast Telescopic Boom Lift- This Product has been replaced by T32E

Mast Telescopic Boom Lift Features:

- Vertical telescopic mast with a jib lets you reach up and over obstacles in tighter spaces than an articulating boom
- Non-marking tires and efficient electric power for indoor jobs
- 20% gradeability for outside work

Quick Specs:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Platform Height Elevated – 33 ft
- Overall Width – 47.2 in
- Platform Capacity – 500 lb

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Genie Telescopic Boom Lifts

The Genie Telescopic Boom Lifts offer greater horizontal outreach than any other type of aerial platform — perfect for areas with limited access in construction and industrial applications. Genie® telescopic S-booms are also designed for productivity with the traction and drive speed you need to get around the job site and to the work area.

- Ideal for areas with limited access in construction and industrial applications
- Minimal tailswing for maneuvering in tight spaces
- Dual-fuel (gas or LPG) options available for indoor/outdoor applications
- Designed for productivity with the traction and drive speed you need
- Super Boom models with horizontal outreach among the industry's best

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Product	Working Height*	Horizontal Reach	Lift Capacity
S□-40 & S□-45	46 ft (14.20 m) 51 ft (15.72 m)	31 ft 8 in (9.65 m) 36 ft 8 in (11.18 m)	500 lbs (227 kg)
S□-40 Trax & S□-45 Trax	46 ft (14 m) 51 ft (15.5 m)	31 ft 8 in (9.7 m) 36 ft 8 in (11.2 m)	500 lb (227 kg)
S□-60X & S□-65	66 ft 2 in (20.34 m) 71 ft (21.80 m)	50 ft 10 in (15.48 m) 56 ft 2 in (17.10 m)	500/1000 lbs** (227/454 kg)** 500 lbs (227 kg)
S□-60 Trax & S□-65 Trax	66 ft 2 in (20.34 m) 71 ft 2 in (21.86 m)	50 ft 10 in (15.48 m) 56 ft 2 in (17.10 m)	660/1100 lbs (299/499 kg)** 500 lbs (227 kg)**

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Product	Working Height*	Horizontal Reach	Lift Capacity
S□-80X & S□-85	86 ft (26.20 m)	71 ft 6 in (21.80 m)	500/1000 lbs** (227/454 kg)**
	91 ft (27.70 m)	76 ft 6 in (23.30 m)	500 lbs (227 kg)
S□-105	111 ft (34.00 m)	80 ft (24.38 m)	500 lbs (227 kg)
S□-125	131 ft 2 in (40.15 m)	80 ft (24.38 m)	500 lbs (227 kg)

* Imperial measurements of working height add 6 ft to platform height. The metric equivalent adds 2 m to platform height.

** Maximum outreach zone / maximum capacity zone.

Designed to the strict guidelines of the American National Standards Institute (ANSI) and the regulations of the Occupational Safety & Health Administration (OSHA). Ships anywhere in the United States and Internationally.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Genie Trailer Mounted Z-Booms

Genie Trailer Mounted Z-Booms

The Genie Trailer Mounted Z-Booms feature an outstanding operating envelope, making them ideal to reach jobs high and

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

low. With easy-to-tow mobility and simple pictograph controls, it's no wonder that Genie trailer-mounted Z-booms take productivity to new heights.

- Operating envelope of a Z-boom reaches up, over and out.
- Easily towed behind a pickup or SUV
- Lightweight enough to use on lawns, slate or gymnasium floors
- Exclusive Genie Automatic Leveling System for self-leveling on slopes up to 11°
- Simple pictograph controls allow operators to get to work quickly
- Drive and Set option positions unit quickly and efficiently

Product	Working Height*	Horizontal Reach	Lift Capacity**
TZ-34/20	40 ft (12.36 m)	18 ft 4 in (5.59 m)	500 lbs (227 kg)

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Product	Working Height*	Horizontal Reach	Lift Capacity**
TZ-50	55 ft 6 in (17.09 m)	29 ft 2 in (8.89 m)	500 lbs (227 kg)

* Imperial measurements of working height add 6 ft to platform height. The metric equivalent adds 2 m to platform height.

** Lift capacity varies depending on options and country standards.

Designed to the strict guidelines of the American National Standards Institute (ANSI) and the regulations of the Occupational Safety & Health Administration (OSHA). Ships anywhere in the United States and Internationally.

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



HB 44 J Telescoping Boom Lift

HB 44 J Telescoping Boom Lift

The HB 44 J boom lift with 50 feet working height is part of the range of aerial work platforms /diesel telescoping platforms for people and material lifting.

- Hydraulic differential lock, standard 4 wheel drive, 13 in ground clearance improve rough terrain capability

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- improved working area through a positive / negative articulating fly jib with 140° movement (-70° / +70°)
- Continuous 360° turntable rotation
- 180° hydraulic platform rotation
- Compact travel/transport dimensions
- Full proportional controls and simultaneous boom functions improve productivity
- Robust, reliable and easy to maintain design

HB 44 J Telescoping Boom Lift Specifications:

Working height	50ft 0in
Platform height	44ft 0in
Lift capacity (lb)	507
Platform size	5ft 11in x 2ft 7in
Horizontal reach	40ft 4in
Height (stowed)	7ft 3in

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Width	7ft 7in
Length	27ft 8in
Gradeability (%)	50
Power source	31kW – 42hp
Weight (lb)	14553

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

HB 62 Telescoping Boom Lift

HB 62 Telescoping Boom Lift –

This model has been Discontinued

The HB 62 boom lift with 67 feet working height is part of the range of aerial work platforms /diesel telescoping platforms for people and material lifting.

- Hydraulic differential lock for demanding rough terrain conditions.
- Standard foam filled tyres.
- Length : 29 ft 10 in.
- 180° hydraulique platform rotation.
- Improved productivity through fast boom movement speeds.
- Work platform overload limiter increases safety.
- Robust, reliable, easy to maintain design.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

HB 62 Telescoping Boom Lift Specifications:

Working height	67ft 8in
Platform height	61ft 8in
Lift capacity (lb)	507
Platform size	5ft 11in x 2ft 7in
Horizontal reach	56ft 1in
Height (stowed)	9ft 5in
Width	8ft 1in
Length	29ft 10in
Gradeability (%)	40
Power source	33kW – 45hp
Weight (lb)	25909

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



HB 68 J Telescoping Boom Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

HB 68 J Telescoping Boom Lift

This model has been Discontinued

The HB 68 J boom lift with 73 feet working height is part of the range of aerial work platforms / diesel telescoping platforms for people and material lifting.

- Improved working area through a positive / negative articulating fly jib with 140° movement.
- Hydraulic differential lock and 14 in ground clearance for improved rough terrain capability.
- Continuous 360° turntable rotation.
- 180° hydraulic platform rotation.
- Compact transport dimensions.
- Full proportional controls and simultaneous boom functions improve productivity.
- Robust, reliable and easy to maintain design.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

HB 68 J Telescoping Boom Lift Specifications:

Working height	73ft 7in
Platform height	67ft 7in
Lift capacity (lb)	507
Platform size	5ft 11in x 2ft 7in
Horizontal reach	64ft 2in
Height (stowed)	9ft 10in
Width	8ft 2in
Length	34ft 9in
Gradeability (%)	40
Power source	33kW – 45hp
Weight (lb)	28908

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



HB 76 J Telescoping Boom Lift

HB 76 J Telescoping Boom Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

This model has been Discontinued

The HB 76 J boom lift with 82 feet working height is part of the range of aerial work platforms / diesel telescoping platforms for people and material lifting.

- Improved working area through a positive / negative articulating fly jib with 140° movement.
- Hydraulic differential lock and 14 in ground clearance for improved rough terrain capability.
- Continuous 360° turntable rotation.
- 180° hydraulic platform rotation.
- Compact travel/transport dimensions.
- Full proportional controls and simultaneous boom functions improve productivity.
- Robust, reliable and easy to maintain design.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

HB 76 J Telescoping Boom Lift Specifications:

Working height	82ft 5in
Platform height	76ft 5in
Lift capacity (lb)	507
Platform size	5ft 11in x 2ft 7in
Horizontal reach	57ft 1in
Height (stowed)	9ft 10in
Width	8ft 2in
Length	43ft 0in
Gradeability (%)	40
Power source	33kW – 45hp
Weight (lb)	30253

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



HB40 Telescoping Boom Lift

HB40 Telescoping Boom Lift

The HB40 Telescoping Boom Lift is part of the range of diesel telescopic platforms for people and material lifting.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

- Hydraulic differential lock, standard 4 wheel drive, 13 in ground clearance improve rough terrain capability
- Continuous 360° turntable rotation
- 180° hydraulic platform rotation
- Compact travel/transport dimensions
- Full proportional controls and simultaneous boom functions improve productivity
- Robust, reliable and easy to maintain design

Specifications:

Working height	45ft 8in
Platform height	39ft 8in
Platform size	7ft 7in x 2ft 7in
Horizontal outreach	35ft 1in
Height (stowed)	7ft 3in
Width	7ft 7in
Length	24ft 11in
Gradeability (%)	50

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Power source	31kW – 42hp
Weight (lbs)	13318

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

HB44J Telescoping Boom Lift

HB44J Telescoping Boom Lift

The HB44J Telescoping Boom Lift is part of the range of diesel telescopic platforms for people and material lifting.

- Hydraulic differential lock, standard 4 wheel drive, 13 in ground clearance improve rough terrain capability
- improved working area through a positive / negative articulating fly jib with 140° movement (-70° / +70°)
- Continuous 360° turntable rotation
- 180° hydraulic platform rotation
- Compact travel/transport dimensions
- Full proportional controls and simultaneous boom functions improve productivity
- Robust, reliable and easy to maintain design

Specifications:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Working height	50ft 0in
Platform height	44ft 0in
Platform size	5ft 11in x 2ft 7in
Horizontal outreach	40ft 4in
Height (stowed)	7ft 3in
Width	7ft 7in
Length	27ft 8in
Gradeability (%)	50
Power source	31kW – 42hp
Weight (lbs)	14553

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>



HT132 RTJ PRO Telescopic Boom Lift

HT132 RTJ PRO Telescopic Boom Lift

HT132 RTJ PRO Telescopic Boom Lift Features:

The HT132 RTJ PRO Telescopic Boom Lift is part of the range of diesel telescopic platforms for people and material lifting.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Outstanding rough terrain driving features

- Differential wheel lock
- Up to 4 simultaneous, proportional movements
- Dual load capacity
- 2 axis jib rotation

Optimized serviceability

- Fully modular basket for quick and easy repairs
- Easy access to all components
- Self-diagnosis tool integrated on the lower control box

Increased safety

- Smooth and precise controls
- Strong, quick, and maneuverable boom

Working Height: 138ft5in

Platform Height: 131ft 11in

Weight: 47187lbs

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/telescopic-booms/>

Height Stowed: 10ft

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8