

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>



Articulated Tracked Aerial Platform SPJ315

Articulated Tracked Aerial Platform SPJ315

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Articulated Tracked Aerial Platform SPJ315 Description:

Articulated Tracked Aerial Platform SPJ315 is a tracked aerial platform able of a maximum working height of **49 feet** and a maximum working outreach of **23 feet**. Its Safe Working Load is **500 lbs.** (2 operators + tools) without restrictions throughout the working area, resulting in high performance if compared with the reduced overall dimensions, only **31 inches** width during translation (with basket removed).

This Articulated Tracked Aerial Platform SPJ315 is equipped with a standard **wired remote control** for translation and stabilization which ensures maximum safety for the operator (optionally SPJ315 can be equipped with **wireless remote control**); the standard engine is a 13 hp gasoline Honda, optionally a diesel Lombardini engine can be mounted.

The **350°** rotation of the aerial part, together with the vertical rotation of the hydraulic jib, **from 90° to +35°**, increase the overall working area. SPJ315 can be equipped

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

with **extendable tracks** and **230 V electric motor**, which are essential for operations in confined spaces such as industrial buildings or churches.

Articulated Tracked Aerial Platform SPJ315 Specifications:

- Extremely compact.
- Safe Working Load is 225 kg unrestricted.
- Remote Control for translation and stabilization.
- Stabilizing pads.

Max working height	50 feet
Basket floor height	43 feet
Max working outreach	23 feet
Aerial part rotation	350°

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Basket rotation	0°
Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 1100 mm
Controls	hydraulic
Stabilization	Z + Z
Weight	3748 lbs.

Standard Equipment:

- Multifunction remote control for translation and stabilization.
- Aluminium removable basket.
- Electric hour-meter.
- High efficiency filtering system in both flow directions.
- Gasoline engine Honda 13 hp.
- Manual emergency pump.
- 110/230 V power outlet in the basket.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- Flanged Holding Valves.

Available Options:

- Narrow crawler hydraulically extensible.
- White antimark tracks.
- Safety belts.
- Auxiliary electro-pump 230V/50Hz monophasic with battery charger.
- White adjustable lamp in the basket.
- Diesel engine Lombardini 11 HP.
- N. 4 spreader plates.
- Air/water plug (max 100 bar).
- Radio remote control.

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>



Articulating Off-Road Aerial Platform A314

Articulating Off-Road Aerial Platform A314

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Articulating Off-Road Aerial Platform A314 Description:

Articulating Off-Road Aerial Platform A314 mounted on pick-up Isuzu D-Max is an articulated aerial platform developed for off-road interventions where a standard platform would not be able to access or deploy the outriggers. Able of a maximum working height of **43 feet** and it has got a safe working load (SWL) of **500 lbs.** (2 operators + tools).

Articulating Off-Road Aerial Platform A314 on ISUZU is able to 90°+90° basket rotation to improve the outreach to **24 feet** and the addition of 2 more outriggers for a better stability on rough terrain. Finally new ground controls with four individual levers allow the operator to deploy the outriggers and stabilize the platform even in the most difficult environment.

The A314 on Isuzu is able to face downhill, on both sides, up to **10° inclination**, a feature difficult to find on

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

another articulated aerial platform.

Articulating Off-Road Aerial Platform A314 Specifications:

Max working height	45 feet
Basket floor height	39 feet
Max working outreach	25 feet
Aerial part rotation	270°
Basket rotation	90°+90°
Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 45 inches
Controls	hydraulic
Stabilization	A
Minimum G.V.W.	2.9 ton

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

KEY FEATURES:

- Extremely compact, just 16 feet long and 6 feet wide
- Safe working load 500 lbs
- Automatic stabilization/destabilization system
- Mounted on 4x4 vehicle

STANDARD EQUIPMENT:

- Aluminium basket
- Anti-collision device between boom and cab
- Electric hour-meter
- Flanged Holding Valves
- High efficiency filtering system in both flow directions
- Manual emergency pump
- 110/230 V power outlet in the basket
- Stabilization controls in the basket

AVAILABLE OPTIONS:

- Air/water plug (max 100 bar)
- Auxiliary electro-pump 230V/50Hz monophasic with battery

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

charger

- 1000 V Basket insulation
- Polyethylene basket
- Safety belts
- N. 4 spreader plates
- White adjustable lamp in the basket

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Articulating Off-Road Aerial Platform A314 Land Rover

Articulating Off-Road Aerial Platform A314 Land Rover

Articulating Off-Road Aerial Platform A314 Land Rover Description:

Articulating Off-Road Aerial Platform A314 Land Rover Defender is an articulated aerial platform developed for off-road interventions where a standard platform would not be able to access or deploy the outriggers.

Able of a maximum working height of **45 feet** and a maximum

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

outreach of **22 feet**, the A314 has got a safe working load (SWL) of **500 lbs.** (2 operators + tools) unrestricted.

The rotation of the aerial part is continuous thanks to a system composed by a slewing ring and a worm gear; the continuous rotation increases sensibly the equipment productivity avoiding any downtime due to the aerial part repositioning.

KEY FEATURES:

- Aerial part continuous rotation.
- Extremely compact, just 16 feet long and 6 feet wide.
- Fully hydraulic controls.
- Mounted on 4x4 vehicle.
- Safe working load 500 lbs.

STANDARD EQUIPMENT:

- Aluminium basket.
- Anti-collision device between boom and cab.
- Electric hour-meter.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- Flanged Holding Valves.
- High efficiency filtering system in both flow directions.
- Manual emergency pump.
- 110/230 V power outlet in the basket.

AVAILABLE OPTIONS:

- Air/water plug (max 100 bar).
- Auxiliary electro-pump 230V/50Hz monophase with battery charger.
- 1000 V Basket insulation.
- Polyethylene basket.
- Safety belts.
- N. 4 spreader plates.
- White adjustable lamp in the basket.

Articulating Off-Road Aerial Platform

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

A314 Land Rover Specifications:

Max working height	45 feet
Basket floor height	38 feet
Max working outreach	21 feet
Aerial part rotation	continuous
Basket rotation	0°
Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 1100 mm
Controls	hydraulic
Stabilization	A+A
Minimum G.V.W.	3.5 ton

Aerial Work Platforms is YOUR total Aerial Access Solution

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Provider.



Disabled Passenger Lift

Disabled Passenger Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Disabled Passenger Lift Features:

The Disabled Passenger Lift provides an efficient and safe means of boarding or de-boarding passengers who require special assistance. This unit can interface wide body aircraft such as Boeing 747, 757, 767, & 777 as well as narrow body aircraft including regional jets. The Disabled Passenger Lift can accommodate up to three (3) full size wheel chairs and one (1) attendant at one time.

- **Efficiency** – Unit requires only one operator to interface the aircraft and assist the disabled passenger. The platform operator can lower the rear access platform to allow a ground handler to load additional passengers. This will allow simultaneous boarding and de-boarding of multiple passengers when the disabled passenger lift is positioned at the aircraft door sill without the need to fully lower the unit multiple times.
- **Rear Access Platform** – Full width rear access platform with 600 lbs. capacity provides room for an attendant

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

and passengers in full size wheel chairs, powered wheel chairs, or powered scooters.

- Front Extenda-deck – Full width powered deck with aircraft bumper extends 4 ft (1.22 m) to access aircraft with a self adjusting swivel bumper for easy positioning.
- Platform Control Station–The platform control station is on an adjustable positioning track that allows the operator to choose where they want to operate the unit.
- Travel Speed – 3.0 -3.5 mph
- Power Source: 48 Volt DC electrical system with onboard 110 VAC charger.
- Tires: 22” Solid Rubber.
- Standard Paint: Federal Standard Insignia White with black striping.
- Drive: The unit can be driven at any elevation from the platform. An automatically activated creep speed function allows smooth & safe driving of the platform at full elevation.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Disabled Passenger Lift Specifications:

- Services Max Door Sill Height—17 ft-9 in.
- Services Min Door Sill Height—3 ft 11 in.
- Wind Speed Rating—90 mph.
- Maximum Total Capacity—1,000 lbs.
- Main Platform – 1,000 lbs.
- Access Platform – 600 lbs.
- Front Extenda-deck – 600 lbs.

AVAILABLE OPTIONS:

- Boarding Chair
- Platform Canopy
- Fold Down Chair for Attendant
- Head / Tail Lights
- Cold Weather Package with Hydraulic System and Battery Heaters
- Gasoline Power
- Custom Paint Colors

SAFETY FEATURES:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- Standard Equipment: Blinking amber light, Hour meter, Lighting at entry/exit, Adjustable utility lighting, Tie downs for boarding chair, Fire extinguisher, Low battery Indicator, Nylon cage netting at both ends of main platform, Manual lowering controls.
- Extenda-deck Guardrails: The adjustable guardrails lock in 2" (0.05 m) increments to fully contour the fuselage and door when fully extended.
- Brakes: Spring applied, pressure release.
- Holding Valve: Safety device to maintain elevation in case of damage or failure.
- Stability: The unit provides maximum stability to ensure operators and passengers total comfort at all times. The unit has minimal side-to-side movement in high wind conditions and can meet the [ANSI A92.7I](#) requirement for a 90 mph jet blast.

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Electric Truck Articulating Aerial Platform A314NAT

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Electric Truck Articulating Aerial Platform A314NAT

Electric Truck Articulating Aerial Platform A314NAT Description:

The Electric Truck Articulating Aerial Platform A314NAT (Natural Aerial Transport) is the first aerial platform mounted on electric vehicle in the World. It is installed on FAAM Ecomile truck, which is equipped with an electric motor with alternating current at 96 V and a LI-P0 lithium-ion battery of 150 Ah. The new model has an autonomy, in combined cycle, of about **62 miles** and it can reach the maximum speed of **50 mph**.

The Electric Truck Articulating Aerial Platform A314NAT is

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

able to work at height **without gas or sound emission**, particularly important for indoor's or city centers. Due to its compactness, just **15 feet long**, the new ecological model is extremely agile and maneuverable.

The A314 NAT is able to reach a maximum working height of **43 feet** with **24 feet** of maximum outreach and the Safe Working Load is **440 lbs**. It is also equipped with a double **working speed system** which enables the operator to speed up the platform or slow down it to save energy.

This new platform has continuous rotation, very important as it avoids downtimes for repositioning the aerial part, and it is also equipped with an aluminum basket (sized 1400 x 700 xh 43 inches) that can be rotated to 90° + 90°.

KEY FEATURES:

- Aerial part continuous rotation
- Extremely compact, just 15 feet long
- Fully hydraulic controls

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- Mounted on electric truck
- Safe working load 200 kg

STANDARD EQUIPMENT:

- Aluminium basket
- Anti-collision device between boom and cab
- 380V battery charger
- 90 ° + 90 ° basket rotation
- Electric hour-meter
- Flanged Holding Valves
- High efficiency filtering system in both flow directions
- Manual emergency pump
- 110/230 V power outlet in the basket

AVAILABLE OPTIONS:

- Air/water plug (max 100 bar)
- Safety belts
- N. 4 spreader plates
- White adjustable lamp in the basket

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Electric Truck Articulating Aerial Platform A314NAT Specifications:

Max working height	43 feet
Basket floor height	37 feet
Max working outreach	24 feet
Aerial part rotation	continuous
Basket rotation	90° + 90°
Basket max load capacity	200 kg
Basket dimension	1400 x 700 x h 43 inches
Controls	Hydraulic
Stabilization	A + A
Minimum G.V.W.	2.2 ton

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



NE-MN-01 Truck Mounted Scissor Lift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

NE-MN-01 Truck Mounted Scissor Lift

NE-MN-01 Truck Mounted Scissor Lift Specifications:

Capacity: 10 tons

Minimum Height: 2m

Maximum Height: 7m

Platform Size: 9m x 2.5m

Railings on all 4 sides of Platform- not removable

4 nos outriggers stabilizers

Mounted on 31 ton GVW chassis

Deck length of 10 m with cabin and PTO and automatic transmission

Self weight 12 tons excluding chassis and payload

Aerial Work Platforms is YOUR total Aerial Access Solution

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Provider.



NE-MN-02/8.0-0.25 Truck Mounted Manlift

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

NE-MN-02/8.0-0.25 Truck Mounted Manlift

NE-MN-02/8.0-0.25 Truck Mounted Manlift Features:

Type: Two Stage Scissor Manlift Kit

Capacity : 250 kgs

Platform : 50 00 mm x 2400 mm with non slip MS Checkered plate cladding

Min. height : 2,000 mm from ground

Max. height : 8,000 mm from ground

Working height : 9,500mm from ground

Vehicle Required : 7000 kg GVW and 4200 wheelbase truck with PT0.

Stabilizers : Hydraulic stabilizers on all four corners duly

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

interlocked with the movement of the platform

Railings : 910 mm high with lockable swing doors.

Power Source : By vehicle PTO. Emergency operations on DC and manual recovery by hand pump.

Operations : Operating panel on the platform as well as 24 VDC controls on the platform as well as the bottom. Hand pump operations get the platform down in case of emergency

Painting : Scuffing by abrasive sand wheel followed by two coats of phosphate and finally two coats of epoxy yellow paint.

Safety :

- 1) Pilot check valve to lock the platform even if in case of a ruptured hose
- 2) Sturdy design with factor
- 3) All pins hard chromed
- 4) Relief Valve provided in hydraulic circuit

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

against excessive pressures

5) Emergency Operation : For emergency Hand pump operation provided for bringing the lift down

6) Sufficient electrical and mechanical safety interlocks ensure safe operations

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

NE-SL-03/3.3-2.7 Truck Mounted Scissor Lift

NE-SL-03/3.3-2.7 Truck Mounted Scissor Lift

NE-SL-03/3.3-2.7 Truck Mounted Scissor Lift Features:

- Type: Multi Stage Electro – Hydraulic Scissor Lift Platform
- Platform : 1800mm x 1400mm with 6 mm non slip MS checkered plate cladding on top.
- Removable tubular railings of 1000 mm height on three sides.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- Minimum height : Plush to the ground with a pit depth of 1000 mm or else 1000 mm above the ground when installed on the floor.
- Maximum height : 4300mm from ground.
- Travel Height : 3300mm
- Capacity : 2700 kgs.
- Base Frame : MS Frame with sufficient stiffeners duly to be grouted inside the pit or on RCC / PCC flooring.
- Scissor : Heavy duty box section with strengthening provided at load bearing points. All pins hard chrome plated with self lubricating bushes for smooth lift and low maintenance.
- Rollers : MS with case hardening and with phosphor bronze bush or UHMWPE sliding wear pads.
- Valves and controls of 24V DC. Return line filter, suction strainer, quality hardware and precision machined components make the unit robust.
- Landing Gates / cladding's : To your scope if any.
- Painting : All painting on MS materials will be epoxy based. Standard color Golden Yellow with black safety stripes other color schemes available on request. Zinc chromatic primer

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

is applied on the substrate after scuffing.

– Pit Dimensions if required: 1850 x 1450 mm with a depth of 1000mm.

Safety :

1. All hydraulic cylinders proceeded by Pilot Check Valves, which will hold the lift in place even in the event of hose rupture.
2. Factor of Safety is 3 or more in the mechanical components.
3. In house design that is validated in licensed 3D software before manufacturing.
4. Relief Valve provided in hydraulic circuit against excessive pressures.
5. MCB in electric Circuit.
6. All pins hard chromed.
7. Self lubricating MU bushes will work trouble free
8. Hand Pump for operations in case of electrical failure

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Socage A346 Articulating

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Aerial Lift

Socage A346 Articulating Aerial Lift

Socage A346 Articulating Aerial Lift Features:

- 42 ft. working height
- Over 24 ft. maximum horizontal side reach
- Two man 550 lbs, 54 in. x 27 in. basket
- Power rotating basket
- Hydraulic basket leveling
- Full pressure upper and lower controls
- Remote engine stop/start

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- 12 volt emergency power at upper and lower controls, including outriggers
- Two rear hydraulic outriggers
- Basket overload system

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.



Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Telescoping Truck Mounted Aerial Platform T315

Telescoping Truck Mounted Aerial Platform T315

Telescoping Truck Mounted Aerial Platform T315 Description:

Telescoping Truck Mounted Aerial Platform T315 is a telescopic aerial platform that can be installed on different models of **3.5-ton truck**, including: Nissan Cabstar, Renault and Iveco Daily Maxity.

Able of a maximum working height of **48 feet** and a maximum

Aerial Work Platforms

1299 66th St., N., Ste 41694 St. Petersburg, FL 33710

Sales: 727-264-1900 Fax: 877-680-2958 Email:

Sales@AerialWorkPlatforms.net

Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

outreach of **30 feet**, the T315 has got a safe working load (SWL) of **500 lbs.** (2 operators + tools).

The rotation of the aerial part is continuous thanks to a system composed by a slewing ring and a worm gear; the continuous rotation increases sensibly the equipment productivity avoiding any downtime due to the aerial part repositioning. The **within the mirrors** stabilization system minimizes the space needed to stabilize the vehicle. The rotation of the aluminum basket (sized 1400x700xh 1100 mm) is 90° + 90°.

STANDARD EQUIPMENT:

- Aluminium basket
- Anti-collision device between boom and cab
- 90° + 90° basket rotation
- Electric hour-meter
- Flanged Holding Valves
- High efficiency filtering system in both flow directions
- Load moment limiter

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

- Manual emergency pump
- 110/230 V power outlet in the basket

AVAILABLE OPTIONS:

- Air/water plug (max 100 bar)
- Auxiliary electro-pump 230V/50Hz monophase with battery charger
- 1000 V Basket insulation
- Polyethylene basket
- Safety belts
- N. 4 spreader plates
- Wired/Wireless Remote Radio Control
- White adjustable lamp in the basket

Telescoping Truck Mounted Aerial Platform T315 Specifications:

Max working height	48 feet
--------------------	---------

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Basket floor height	41 feet
Max working outreach	30 feet
Aerial part rotation	continuous
Basket rotation	90° + 90°
Basket max load capacity	500 lbs.
Basket dimension	1400 x 700 xh 1100 mm
Controls	hydraulic
Stabilization	H + H
Minimum G.V.W.	3.5 ton

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>



Product Image
Coming Soon

Truck Mounted Scissor Lift

The Truck Mounted Scissor Lift is a pickup truck mounted scissor lift. The unit offers a rear extension platform and the unit offers a quick disconnect system from the truck. The unit is powered by a 12 Volt battery that is re-charged from the trucks electrical system.

Truck Mounted Scissor Lift Specifications:

Aerial Work Platforms
1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
Sales: 727-264-1900 Fax: 877-680-2958 Email:
Sales@AerialWorkPlatforms.net
Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8

PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Model	001TL
Maximum platform height	21'10" 6.65m
Minimum platform height	63" 160 cm
Capacity	500 lbs. 226 kg.
Unit weight	2,100 lbs. 952 kg.
Overall shut height	8'6" 2.59m
Platform size	54" x 88" 137 cm x 223 cm
Overall length	7'5" 2.26m
Overall width	4'6" 1.37m

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8



PRODUCT URL:

<https://www.aerialworkplatforms.net/product-category/truck-mounted-lifts/>

Model	001TL
GVW Requirement	8,800 lbs. 3991 kg.

Truck Mounted Scissor Lift Features:

- 3' Rear Roll-Out Extenda-Deck
- No Stabilizers Required
- Quick Disconnect System For Easy Removal
- Unit Recharges from Trucks Electrical System
- 4 Degree Tilt Cut out
- Fork Pockets

Truck Mounted Scissor Lift Options:

- Short Bed Installation Package
- Removable Guardrails

Aerial Work Platforms is YOUR total Aerial Access Solution Provider.

Aerial Work Platforms
 1299 66th St., N., Ste 41694 St. Petersburg, FL 33710
 Sales: 727-264-1900 Fax: 877-680-2958 Email:
 Sales@AerialWorkPlatforms.net
 Duns: 06-672-7186 EIN: 59-367-2551 Cage: 6S1Y8